





Nutrition Surveillance System Monthly Bulletin - Syria Early Warning Alert and Response Network




The NSS Reporting HFs continue to upload malnutrition indicators' data on tablets in all the (49) Helath centers in (2) Governorate (9) Districts) and (27) subdistrict, using ODK application. During the reporting period (49 / 49), 100% of the Reporting HFs across (2) Governorates provided surveillance data for NSS, (100%) of reporting health facilities reported on time. The total number of detected malnourished cases is (416) out of (32587), While (17986),55% of the measured children were under 2 years old.









The cases classified as follow:


Pregnant and lactating women MUAC Screening continued in (41) health facilities in (2) Governorates. (15098) PLW were screened clssified as follow:

Lactating Normal	Pregnant Normal	Lactating Malnorished	Pregnant Malnorished	
8087	6278	226	169	_


With great appreciation to our Partneres




Normal — MAM — SAM




Nutrition Assessment Results : GAM and PLW MAM rate by community




Top 10 GAM rate by community




PLW MAM rate by Community



Top 10 MAM rate by community






Nutrition Surveillance System Bulletin ,From 01-04-2021, To 30-04-2021





Nutrition Assessment Results : GAM rate trends by district during one year


GAM Rate 0-59 by Month and District



GAM Rate 0-59 by Month and Community







Afrin



Jisr-Ash-Shugur



Harim

A'zaz

PLW Total


0%

Total		14696	402	15098	2.66%
Resident	Idleb	2785	107	2892	3.70%
Resident	Aleppo	1577	39	1616	2.41%
IDP	Idleb	3590	117	3707	3.16%
IDP	Aleppo	6744	139	6883	2.02%
IDP Status	Gov	PLW Normal	PLW malnourished	PLW Screened	PLW MAM Rate

Al Bab

Ariha

Age of marriage	IdpStatus	PLW malnourished	PLW MAM rate
over18	IDP	1.8%	35.36%
over18	Resident	2.6%	17.03%
under18	IDP	3.0%	34.78%
under18	Resident	4.1%	12.83%
Total		2.7%	100.00%




Idleb


Jebel Saman


Nutrition Assessment Results: MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District




PLW MAM Rate by Month and Community





PLW MAM by Month and Gov

Gov Aleppo Ar-Raqqa Dar'a Hama Idleb Quneitra




201805 201806 201807 201808 201809 201810 201811 201812 201901 201902 201903 201904 201905 201911 201912 202001 202005 202006 202007 202008 202009 202010 202011 202012 202101 202102 202103 202104




Female 3336 (48%) Male 3616 (52%)

Sex Distribution


CBF-Breastfed No 747 (10.75%)



EBF -Child Exlusive Breast Feed



% Why NotBreastfed



No

Sex Distribution








11034


Breastfed

Others (Milk Goats, Etc..)



















23174







Stunting (Age 6-59)(7387/23174): 31.9%(31.3% - 32.5% 95% C.I.)

Age group 06-11 **1**2-23 **24-35 36-47 48-59** 38.55% 34.96% 34.13% 30% 25.47% 25.22% 38.55% 34.13% 25.47% 25.22% 10% 06-11 12-23 24-35 36-47 48-59

Nutrition Surveillance System Bulletin ,From 01-04-2021, To 30-04-2021

UnderWeight (Age 6-59)(1436/23174): 6.2%(5.9% - 6.5% 95% C.I.)





	Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by sex				
Age	Female	Male	Total		
06-11	MUAC only (Age 6-11)(148/2236): 6.6%(5.6% - 7.6% 95% C.I.)	MUAC only (Age 6-11)(100/2224): 4.5%(3.6% - 5.4% 95% C.I.)	MUAC only (Age 6-11)(248/4460): 5.6%(4.9% - 6.2% 95% C.I.)		
12-23	MUAC only (Age 12-23)(64/3241): 2.0%(1.5% - 2.5% 95% C.I.)	MUAC only (Age 12-23)(42/3333): 1.3%(0.9% - 1.6% 95% C.I.)	MUAC only (Age 12-23)(106/6574): 1.6%(1.3% - 1.9% 95% C.I.)		
24-35	MUAC only (Age 24-35)(8/2635): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC only (Age 24-35)(6/2698): 0.2%(0.0% - 0.4% 95% C.I.)	MUAC only (Age 24-35)(14/5333): 0.3%(0.1% - 0.4% 95% C.I.)		
36-47	MUAC only (Age 36-47)(5/2099): 0.2%(0.0% - 0.4% 95% C.I.)	MUAC only (Age 36-47)(1/2127): 0.0%(0.0% - 0.1% 95% C.I.)	MUAC only (Age 36-47)(6/4226): 0.1%(0.0% - 0.3% 95% C.I.)		
48-59	MUAC only (Age 48-59)(2/2388): 0.1%(0.0% - 0.2% 95% C.I.)	MUAC only (Age 48-59)(0/2654): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 48-59)(2/5042): 0.0%(0.0% - 0.1% 95% C.I.)		
Total	MUAC only (Age 6-59) (227/12599): 1.8%(1.6% - 2.0% 95% C.I.)	MUAC only (Age 6-59) (149/13036): 1.1%(1.0% - 1.3% 95% C.I.)	MUAC only (Age 6-59)(376/25635): 1.5%(1.3% - 1.6% 95% C.I.)		

	Prevalence of	stunting based on height-for-a	ge z-scores and by sex
Age	Female	Male	Total
06-11	Stunting (Age 6-11)(401/2079): 19.3%(17.6% - 21.0% 95% C.I.)	Stunting (Age 6-11)(638/2040): 31.3%(29.3% - 33.3% 95% C.I.)	Stunting (Age 6-11)(1039/4119): 25.2%(23.9% - 26.6% 95% C.I.)
12-23	Stunting (Age 12-23)(877/2990): 29.3%(27.7% - 31.0% 95% C.I.)	Stunting (Age 12-23) (1185/3051): 38.8%(37.1% - 40.6% 95% C.I.)	Stunting (Age 12-23)(2062/6041): 34.1%(32.9% - 35.3% 95% C.I.)
24-35	Stunting (Age 24-35)(816/2315): 35.2%(33.3% - 37.2% 95% C.I.)	Stunting (Age 24-35)(996/2385): 41.8%(39.8% - 43.7% 95% C.I.)	Stunting (Age 24-35)(1812/4700): 38.6%(37.2% - 39.9% 95% C.I.)
36-47	Stunting (Age 36-47)(642/1861): 34.5%(32.3% - 36.7% 95% C.I.)	Stunting (Age 36-47)(672/1898): 35.4%(33.3% - 37.6% 95% C.I.)	Stunting (Age 36-47)(1314/3759): 35.0%(33.4% - 36.5% 95% C.I.)
48-59	Stunting (Age 48-59)(566/2146): 26.4%(24.5% - 28.2% 95% C.I.)	Stunting (Age 48-59)(594/2409): 24.7%(22.9% - 26.4% 95% C.I.)	Stunting (Age 48-59)(1160/4555): 25.5%(24.2% - 26.7% 95% C.I.)
Total	Stunting (Age 6-59) (3302/11391): 29.0%(28.2% - 29.8% 95% C.I.)	Stunting (Age 6-59) (4085/11783): 34.7%(33.8% - 35.5% 95% C.l.)	Stunting (Age 6-59)(7387/23174): 31.9%(31.3% - 32.5% 95% C.I.)

Age	Female	Male	Total
06-11	MUAC or WHZ (Age 6-11) (154/2236): 6.9%(5.8% - 7.9% 95% C.I.)	MUAC or WHZ (Age 6-11) (114/2224): 5.1%(4.2% - 6.0% 95% C.I.)	MUAC or WHZ (Age 6-11)(268/4460): 6.0%(5.3% - 6.7% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (76/3241): 2.3%(1.8% - 2.9% 95% C.I.)	MUAC or WHZ (Age 12-23) (54/3333): 1.6%(1.2% - 2.0% 95% C.I.)	MUAC or WHZ (Age 12-23)(130/6574): 2.0%(1.6% - 2.3% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (11/2635): 0.4%(0.2% - 0.7% 95% C.l.)	MUAC or WHZ (Age 24-35) (13/2698): 0.5%(0.2% - 0.7% 95% C.I.)	MUAC or WHZ (Age 24-35)(24/5333): 0.5%(0.3% - 0.6% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (9/2099): 0.4%(0.1% - 0.7% 95% C.I.)	MUAC or WHZ (Age 36-47) (8/2127): 0.4%(0.1% - 0.6% 95% C.I.)	MUAC or WHZ (Age 36-47)(17/4226): 0.4%(0.2% - 0.6% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (8/2388): 0.3%(0.1% - 0.6% 95% C.I.)	MUAC or WHZ (Age 48-59) (8/2654): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC or WHZ (Age 48-59)(16/5042): 0.3%(0.2% - 0.5% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (258/12599): 2.0%(1.8% - 2.3% 95% C.I.)	MUAC or WHZ (Age 6-59) (197/13036): 1.5%(1.3% - 1.7% 95% C.I.)	MUAC or WHZ (Age 6-59)(455/25635): 1.8%(1.6% - 1.9% 95% C.I.)

Prevalence of underweight based on weight-for-age z-scores by sex

Age	Female	Male	Total
06-11	UnderWeight (Age 6-11) (128/2079): 6.2%(5.1% - 7.2% 95% C.I.)	UnderWeight (Age 6-11) (183/2040): 9.0%(7.7% - 10.2% 95% C.I.)	UnderWeight (Age 6-11)(311/4119): 7.6%(6.7% - 8.4% 95% C.I.)
12-23	UnderWeight (Age 12-23) (150/2990): 5.0%(4.2% - 5.8% 95% C.I.)	UnderWeight (Age 12-23) (215/3051): 7.0%(6.1% - 8.0% 95% C.I.)	UnderWeight (Age 12-23)(365/6041): 6.0%(5.4% - 6.6% 95% C.I.)
24-35	UnderWeight (Age 24-35) (109/2315): 4.7%(3.8% - 5.6% 95% C.l.)	UnderWeight (Age 24-35) (145/2385): 6.1%(5.1% - 7.0% 95% C.I.)	UnderWeight (Age 24-35)(254/4700): 5.4%(4.8% - 6.1% 95% C.I.)
36-47	UnderWeight (Age 36-47) (112/1861): 6.0%(4.9% - 7.1% 95% C.I.)	UnderWeight (Age 36-47) (112/1898): 5.9%(4.8% - 7.0% 95% C.I.)	UnderWeight (Age 36-47)(224/3759): 6.0%(5.2% - 6.7% 95% C.I.)
48-59	UnderWeight (Age 48-59) (144/2146): 6.7%(5.7% - 7.8% 95% C.I.)	UnderWeight (Age 48-59) (138/2409): 5.7%(4.8% - 6.7% 95% C.I.)	UnderWeight (Age 48-59)(282/4555): 6.2%(5.5% - 6.9% 95% C.I.)
Total	UnderWeight (Age 6-59) (643/11391): 5.6%(5.2% - 6.1% 95% C.I.)	UnderWeight (Age 6-59) (793/11783): 6.7%(6.3% - 7.2% 95% C.I.)	UnderWeight (Age 6-59)(1436/23174): 6.2%(5.9% - 6.5% 95% C.I.)

	Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by gov aleppo, Idleb				
Age Aleppo Idleb		Idleb	Total		
12-23	MUAC only (Age 12-23)(70/3658): 1.9%(1.5% - 2.4% 95% C.I.)	MUAC only (Age 12-23)(36/2916): 1.2%(0.8% - 1.6% 95% C.I.)	MUAC only (Age 12-23)(106/6574): 1.6%(1.3% - 1.9% 95% C.I.)		
24-35	MUAC only (Age 24-35)(10/2994): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC only (Age 24-35)(4/2339): 0.2%(0.0% - 0.3% 95% C.I.)	MUAC only (Age 24-35)(14/5333): 0.3%(0.1% - 0.4% 95% C.I.)		
36-47	MUAC only (Age 36-47)(1/2519): 0.0%(0.0% - 0.1% 95% C.I.)	MUAC only (Age 36-47)(5/1707): 0.3%(0.0% - 0.5% 95% C.I.)	MUAC only (Age 36-47)(6/4226): 0.1%(0.0% - 0.3% 95% C.I.)		
48-59	MUAC only (Age 48-59)(0/2913): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 48-59)(2/2129): 0.1%(0.0% - 0.2% 95% C.I.)	MUAC only (Age 48-59)(2/5042): 0.0%(0.0% - 0.1% 95% C.I.)		
06-11	MUAC only (Age 6-11)(159/2537): 6.3%(5.3% - 7.2% 95% C.I.)	MUAC only (Age 6-11)(89/1923): 4.6%(3.7% - 5.6% 95% C.I.)	MUAC only (Age 6-11)(248/4460): 5.6%(4.9% - 6.2% 95% C.I.)		
Total	MUAC only (Age 6-59) (240/14621): 1.6%(1.4% - 1.8% 95% C.I.)	MUAC only (Age 6-59) (136/11014): 1.2%(1.0% - 1.4% 95% C.I.)	MUAC only (Age 6-59)(376/25635): 1.5%(1.3% - 1.6% 95% C.I.)		

	Prevalence of stunting	based on height-for-age z-scores	and by gov Aleppo, Idleb
Age	Aleppo	Idleb	Total
06-11	Stunting (Age 6-11)(767/2337): 32.8%(30.9% - 34.7% 95% C.I.)	Stunting (Age 6-11)(272/1782): 15.3%(13.6% - 16.9% 95% C.I.)	Stunting (Age 6-11)(1039/4119): 25.2%(23.9% - 26.6% 95% C.I.)
12-23	Stunting (Age 12-23)(1353/3348): 40.4%(38.7% - 42.1% 95% C.I.)	Stunting (Age 12-23)(709/2693): 26.3%(24.7% - 28.0% 95% C.I.)	Stunting (Age 12-23)(2062/6041): 34.1%(32.9% - 35.3% 95% C.I.)
24-35	Stunting (Age 24-35)(1117/2566): 43.5%(41.6% - 45.4% 95% C.I.)	Stunting (Age 24-35)(695/2134): 32.6%(30.6% - 34.6% 95% C.I.)	Stunting (Age 24-35)(1812/4700): 38.6%(37.2% - 39.9% 95% C.I.)
36-47	Stunting (Age 36-47)(816/2188): 37.3%(35.3% - 39.3% 95% C.I.)	Stunting (Age 36-47)(498/1571): 31.7%(29.4% - 34.0% 95% C.I.)	Stunting (Age 36-47)(1314/3759): 35.0%(33.4% - 36.5% 95% C.I.)
48-59	Stunting (Age 48-59)(742/2588): 28.7%(26.9% - 30.4% 95% C.I.)	Stunting (Age 48-59)(418/1967): 21.3%(19.4% - 23.1% 95% C.I.)	Stunting (Age 48-59)(1160/4555): 25.5%(24.2% - 26.7% 95% C.I.)
Total	Stunting (Age 6-59) (4795/13027): 36.8%(36.0% - 37.6% 95% C.l.)	Stunting (Age 6-59)(2592/10147): 25.5%(24.7% - 26.4% 95% C.I.)	Stunting (Age 6-59)(7387/23174): 31.9%(31.3% - 32.5% 95% C.I.)

Total	MUAC or WHZ (Age 6-59) (285/14621): 1.9%(1.7% - 2.2% 95% C.I.)	MUAC or WHZ (Age 6-59) (170/11014): 1.5%(1.3% - 1.8% 95% C.I.)	MUAC or WHZ (Age 6-59)(455/25635): 1.8%(1.6% - 1.9% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (9/2913): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC or WHZ (Age 48-59)(7/2129): 0.3%(0.1% - 0.6% 95% C.I.)	MUAC or WHZ (Age 48-59)(16/5042): 0.3%(0.2% - 0.5% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (6/2519): 0.2%(0.0% - 0.4% 95% C.I.)	MUAC or WHZ (Age 36-47) (11/1707): 0.6%(0.3% - 1.0% 95% C.I.)	MUAC or WHZ (Age 36-47)(17/4226): 0.4%(0.2% - 0.6% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (15/2994): 0.5%(0.2% - 0.8% 95% C.I.)	MUAC or WHZ (Age 24-35)(9/2339): 0.4%(0.1% - 0.6% 95% C.I.)	MUAC or WHZ (Age 24-35)(24/5333): 0.5%(0.3% - 0.6% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (83/3658): 2.3%(1.8% - 2.8% 95% C.I.)	MUAC or WHZ (Age 12-23) (47/2916): 1.6%(1.2% - 2.1% 95% C.I.)	MUAC or WHZ (Age 12-23)(130/6574): 2.0%(1.6% - 2.3% 95% C.I.)
06-11	MUAC or WHZ (Age 6-11) (172/2537): 6.8%(5.8% - 7.8% 95% C.I.)	MUAC or WHZ (Age 6-11)(96/1923): 5.0%(4.0% - 6.0% 95% C.I.)	MUAC or WHZ (Age 6-11)(268/4460): 6.0%(5.3% - 6.7% 95% C.I.)
Age	Aleppo	Idleb	Total

	Prevalence of underwe	eight based on weight-for-age z-sco	res by gov Aleppo, Idleb
Age	Aleppo	Idleb	Total
06-11	UnderWeight (Age 6-11) (240/2337): 10.3%(9.0% - 11.5% 95% C.I.)	UnderWeight (Age 6-11)(71/1782): 4.0%(3.1% - 4.9% 95% C.I.)	UnderWeight (Age 6-11)(311/4119): 7.6%(6.7% - 8.4% 95% C.I.)
12-23	UnderWeight (Age 12-23) (275/3348): 8.2%(7.3% - 9.1% 95% C.I.)	UnderWeight (Age 12-23)(90/2693): 3.3%(2.7% - 4.0% 95% C.I.)	UnderWeight (Age 12-23)(365/6041): 6.0%(5.4% - 6.6% 95% C.I.)
24-35	UnderWeight (Age 24-35) (187/2566): 7.3%(6.3% - 8.3% 95% C.I.)	UnderWeight (Age 24-35)(67/2134): 3.1%(2.4% - 3.9% 95% C.I.)	UnderWeight (Age 24-35)(254/4700): 5.4%(4.8% - 6.1% 95% C.I.)
36-47	UnderWeight (Age 36-47) (129/2188): 5.9%(4.9% - 6.9% 95% C.I.)	UnderWeight (Age 36-47)(95/1571): 6.0%(4.9% - 7.2% 95% C.I.)	UnderWeight (Age 36-47)(224/3759): 6.0%(5.2% - 6.7% 95% C.I.)
48-59	UnderWeight (Age 48-59) (172/2588): 6.6%(5.7% - 7.6% 95% C.I.)	UnderWeight (Age 48-59)(110/1967): 5.6%(4.6% - 6.6% 95% C.I.)	UnderWeight (Age 48-59)(282/4555): 6.2%(5.5% - 6.9% 95% C.I.)
Total	UnderWeight (Age 6-59) (1003/13027): 7.7%(7.2% - 8.2% 95% C.l.)	UnderWeight (Age 6-59) (433/10147): 4.3%(3.9% - 4.7% 95% C.I.)	UnderWeight (Age 6-59)(1436/23174): 6.2%(5.9% - 6.5% 95% C.I.)

Nutrition Assessment Results - (Children 6-23 Top 10 GAM by community / month) during a year

community	202005	202006	202007	202008	202009	202010	202011	202012	202101	202102	202103	202104
Al Bab	10.61%	15.28%	20.16%	17.99%	<u></u>	<u></u>	12.20%	8.73%		7.03%	7.58%	8.66%
Aqrabat			15.46%									
Azaz			20.00%									
Basuta			<u></u>									
Bazagha				26.43%	36.11%	<u>^</u> 22.35%		11.03%		13.04%	11.21%	5.81%
Bsheiriyeh - Bello	<u> </u>	<u>A</u> 22.37%	14.81%		17.51%							
Bulbul	12.67%											
Dana					<u></u>	17.33%						
Daret Azza		12.26%										
Darkosh		<u></u>	<u></u>					10.00%	8.51%	8.76%		
Ghandorah						19.03%	11.03%	9.17%	9.54%	8.80%		7.19%
Jalma		15.31%	15.38%	18.59%				8.57%	10.07%	7.53%	7.91%	6.87%
Jandairis		<u></u>										
Janudiyeh			<u></u>	23.57%								
Jarablus	12.18%	13.61%		20.65%	34.57%	14.62%	17.54%	20.96%	16.13%	26.27%	14.29%	10.24%
Kafr Karmin							7.42%					
Kafr Takharim							9.03%				12.15%	5.37%
Kafra									9.72%			
Kelly										6.90%		
Kherbet Eljoz										7.69%	8.56%	5.34%
Korin												5.99%
Ma'arrat Tamasrin	11.59%						9.95%	8.81%	8.53%		7.63%	
Maydan Afrin			<u></u>									
Qabasin		12.12%		29.93%	<u></u>	14.29%		9.09%	10.71%		8.43%	9.52%
Rael				20.51%	28.09%	<u> </u>			13.04%	9.68%	5.93%	
Salama	0.91%											
Salqin	12.98%			25.90%	<u>22.43%</u>	14.59%	<u> </u>					
Shawa	13.22%	28.88%		<u></u>	33.33%	30.51%	8.57%	10.61%	7.41%			
Shmarekh	10.00%	12.43%					10.40%					
Suran	0 10.17%											
Zoghra			22.97%	20.95%	25.43%	32.23%	23.04%	9.13%	12.50%	14.71%	12.84%	13.43%

Community /gov covered by month

Month	Aleppo	Idleb	Total
202005	27	13	40
202006	27	13	40
202007	28	13	41
202008	27	13	40
202009	28	12	40
202010	27	12	39
202011	27	12	39
202012	27	12	39
202101	27	12	39
202102	28	15	43
202103	28	18	46
202104	28	17	45
Total	30	21	51

Nutrition Assessment Results - (PLW TOP 10 MAM by community / month) during a yea

community	202005	202006	202007	202008	202009	202010	202011	202012	202101	202102	202103	202104
Al Bab	9.65%	17.30%	22.89%	25.39%	15.99%	17.58%	10.41%	9.80%	10.70%	9.07%	8.85%	9.22%
Basuta			18.18%									
Bazagha	20.83%		33.33%	16.67%								
Bsheiriyeh - Bello	30.43%	50.00%							3.51%		7.69%	
Dana					20.27%	17.36%	14.16%	8.85%	4.53%	6.80%		4.56%
Daret Azza	15.58%		19.33%	25.93%	12.25%							
Darkosh		13.33%										
Harim				12.50%	11.62%	15.67%	13.41%	13.64%	7.51%	3.90%	6.52%	
Hazano	26.74%	27.05%	49.33%	50.44%	13.14%	18.41%	12.35%	11.84%	5.78%			
Idleb			12.96%									
Jalma				12.24%								
Janudiyeh	14.91%	20.24%	15.48%									
Jisr-Ash-Shugur												5.33%
Kafr Karmin	11.05%											
Kafr Takharim					13.19%	8.02%	6.46%	6.45%	6.68%	7.35%	13.97%	11.32%
Kelly										4.89%		
Kherbet Eljoz										16.67%	5.85%	5.06%
Korin											6.05%	4.78%
Ma'arrat Tamasrin			15.52%	10.99%		8.16%	4.55%	4.41%		6.27%	5.76%	
Qabasin					10.47%	8.33%		5.85%				4.95%
Rael				0.71%	11.26%	7.69%	5.93%		9.68%		6.25%	5.32%
Raju									5.56%	5.10%	5.43%	6.55%
Salqin	23.08%	17.65%	12.50%	15.28%	20.88%	16.26%	21.58%	9.13%	3.21%	6.93%		
Sarmada		14.63%										
Shawa	17.11%	31.91%	33.33%	33.75%	23.61%	14.42%	15.32%	14.17%	13.21%	6.67%	11.81%	5.65%
Sheikh El-Hadid		14.79%										
Shmarekh	9.77%	11.48%					4.62%	5.79%				

Community /gov covered by month

Month	Aleppo	Idleb	Total
202005	22	12	34
202006	22	12	34
202007	23	10	33
202008	22	10	32
202009	22	11	33
202010	21	11	32
202011	21	10	31
202012	21	10	31
202101	21	10	31
202102	22	13	35
202103	22	16	38
202104	22	16	38
Total	25	20	45

