




Nutrition Surveillance System Monthly Bulletin - Syria Early Warning Alert and Response Network

Gov


Idleb




The NSS Reporting HFs continue to upload malnutrition indicators' data on tablets in all the (43) Helath centers in (2) Governorate (8) Districts) and (24) subdistrict, using ODK application. During the reporting period (43 / 45), 96% of the Reporting HFs across (2) Governorates provided surveillance data for NSS (96%) of reporting health facilities reported on time. The total number of detected malnourished cases is (349) out of (20473), While (11172),55% of the measured children were under 2 years old.










Pregnant and lactating women MUAC Screening continued in (34) health facilities in (2) Governorates. (10066) PLW were screened clssified as follow:

Lactating Normal	Pregnant Normal	Lactating Malnorished	Pregnant Malnorished	
5742	3933	154	108	3

With great appreciation to our Partneres

AKVELON




Normal MAM SAM


Nutrition Assessment Results : GAM and PLW MAM rate by community

GAM rate by Community Ceyhan Birecik Şanliurfa Gaziantep Dörtyol Yakacık İskenderun Manbij Hatay VERNORATE Aleppo Antakya Halab RAQQAH **b** Bing © 2021 TomTom, © 2021 Microsoft Corporation


Top 10 GAM rate by community




PLW MAM rate by Community




Top 10 MAM rate by community







Nutrition Surveillance System Bulletin ,From 01-01-2021, To 31-01-2021





Nutrition Assessment Results: GAM rate trends by district during one year

GAM Rate 0-59 by Month and District











PLW Total


IDP Status	Gov	PLW Normal	PLW malnourished	PLW Screened	PLW MAM Rate
IDP	Aleppo	5282	112	5394	2.08%
IDP	Idleb	1914	95	2009	4.73%
Resident	Aleppo	947	24	971	2.47%
Resident	Idleb	1657	35	1692	2.07%
Total		9800	266	10066	2.64%

عمر الزواج	وضع النزوح	نساء مصابة	معدل الاصابة
over18	مقيم	1.9%	15.95%
over18	نازح	2.2%	37.62%
under18	مقيم	2.7%	10.50%
under18	نازح	3.5%	35.92%
Total		2.6%	100.00%





Nutrition Assessment Results: MAM PLW rate trends by district during one year





PLW MAM Rate by Month and Community






AR EN

3819


Female 1863 (49%)

Sex Distribution


CBF-Breastfed




EBF -Child Exlusive Breast Feed







Male 1956 (51%)




Children 6 month to 23 Screened

AR




Sex Distribution




7353


Resident (27.01%)



Breastfed



Others (Milk Goats , Etc ..)



Minimum diet diversity

Percentage of children aged 6-23 months who were fed at least 5 (5 out of 8) food groups the previous day




Minimum meal frequency

Percentage of children aged 6-23 months who were fed the minimum number of meals/snacks during the previous day




Child have mother or father




Children Screened 6 month and over with weight or height measures


14829









Nutrition Surveillance System Bulletin ,From 01-01-2021, To 31-01-2021



UnderWeight (Age 6-59)(946/14829): 6.4%(6.0% - 6.8% 95% C.I.)





	Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by sex										
Age	Female	Male	Total								
06-11	MUAC only (Age 6-11)(121/1507): 8.0%(6.7% - 9.4% 95% C.I.)	MUAC only (Age 6-11)(80/1500): 5.3%(4.2% - 6.5% 95% C.I.)	MUAC only (Age 6-11)(201/3007): 6.7%(5.8% - 7.6% 95% C.I.)								
12-23	MUAC only (Age 12-23)(67/2198): 3.0%(2.3% - 3.8% 95% C.I.)	MUAC only (Age 12-23)(42/2148): 2.0%(1.4% - 2.5% 95% C.I.)	MUAC only (Age 12-23)(109/4346): 2.5%(2.0% - 3.0% 95% C.I.)								
24-35	MUAC only (Age 24-35)(6/1732): 0.3%(0.1% - 0.6% 95% C.I.)	MUAC only (Age 24-35)(9/1701): 0.5%(0.2% - 0.9% 95% C.I.)	MUAC only (Age 24-35)(15/3433): 0.4%(0.2% - 0.7% 95% C.I.)								
36-47	MUAC only (Age 36-47)(1/1418): 0.1%(-0.1% - 0.2% 95% C.I.)	MUAC only (Age 36-47)(0/1277): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 36-47)(1/2695): 0.0%(0.0% - 0.1% 95% C.I.)								
48-59	MUAC only (Age 48-59)(0/1552): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 48-59)(0/1621): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 48-59)(0/3173): 0.0%(0.0% - 0.0% 95% C.I.)								
Total	MUAC only (Age 6-59) (195/8407): 2.3%(2.0% - 2.6% 95% C.I.)	MUAC only (Age 6-59)(131/8247): 1.6%(1.3% - 1.9% 95% C.I.)	MUAC only (Age 6-59)(326/16654): 2.0%(1.7% - 2.2% 95% C.I.)								

Prevalence of stunting based on height-for-age z-scores and by sex									
Age	Female	Male	Total						
06-11	Stunting (Age 6-11)(296/1338): 22.1%(19.9% - 24.3% 95% C.I.)	Stunting (Age 6-11)(455/1380): 33.0%(30.5% - 35.5% 95% C.l.)	Stunting (Age 6-11)(751/2718): 27.6%(25.9% - 29.3% 95% C.I.)						
12-23	Stunting (Age 12-23)(633/1964): 32.2%(30.2% - 34.3% 95% C.I.)	Stunting (Age 12-23)(789/1957): 40.3%(38.1% - 42.5% 95% C.l.)	Stunting (Age 12-23)(1422/3921): 36.3%(34.8% - 37.8% 95% C.I.)						
24-35	Stunting (Age 24-35)(532/1473): 36.1%(33.7% - 38.6% 95% C.I.)	Stunting (Age 24-35)(614/1485): 41.3%(38.8% - 43.9% 95% C.I.)	Stunting (Age 24-35)(1146/2958): 38.7%(37.0% - 40.5% 95% C.I.)						
36-47	Stunting (Age 36-47)(423/1250): 33.8%(31.2% - 36.5% 95% C.I.)	Stunting (Age 36-47)(467/1157): 40.4%(37.5% - 43.2% 95% C.l.)	Stunting (Age 36-47)(890/2407): 37.0%(35.0% - 38.9% 95% C.I.)						
48-59	Stunting (Age 48-59)(360/1344): 26.8%(24.4% - 29.2% 95% C.I.)	Stunting (Age 48-59)(424/1481): 28.6%(26.3% - 30.9% 95% C.I.)	Stunting (Age 48-59)(784/2825): 27.8%(26.1% - 29.4% 95% C.I.)						
Total	Stunting (Age 6-59) (2244/7369): 30.5%(29.4% - 31.5% 95% C.I.)	Stunting (Age 6-59) (2749/7460): 36.8%(35.8% - 37.9% 95% C.I.)	Stunting (Age 6-59)(4993/14829): 33.7%(32.9% - 34.4% 95% C.I.)						

Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's (and/or oedema) and by sex*

Age	Female	Male	Total
06-11	MUAC or WHZ (Age 6-11) (128/1507): 8.5%(7.1% - 9.9% 95% C.I.)	MUAC or WHZ (Age 6-11) (88/1500): 5.9%(4.7% - 7.1% 95% C.I.)	MUAC or WHZ (Age 6-11)(216/3007): 7.2%(6.3% - 8.1% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (73/2198): 3.3%(2.6% - 4.1% 95% C.I.)	MUAC or WHZ (Age 12-23) (54/2148): 2.5%(1.9% - 3.2% 95% C.l.)	MUAC or WHZ (Age 12-23)(127/4346): 2.9%(2.4% - 3.4% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (8/1732): 0.5%(0.1% - 0.8% 95% C.I.)	MUAC or WHZ (Age 24-35) (11/1701): 0.6%(0.3% - 1.0% 95% C.l.)	MUAC or WHZ (Age 24-35)(19/3433): 0.6%(0.3% - 0.8% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (5/1418): 0.4%(0.0% - 0.7% 95% C.I.)	MUAC or WHZ (Age 36-47) (3/1277): 0.2%(0.0% - 0.5% 95% C.l.)	MUAC or WHZ (Age 36-47)(8/2695): 0.3%(0.1% - 0.5% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (2/1552): 0.1%(0.0% - 0.3% 95% C.I.)	MUAC or WHZ (Age 48-59) (3/1621): 0.2%(0.0% - 0.4% 95% C.l.)	MUAC or WHZ (Age 48-59)(5/3173): 0.2%(0.0% - 0.3% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (216/8407): 2.6%(2.2% - 2.9% 95% C.I.)	MUAC or WHZ (Age 6-59) (159/8247): 1.9%(1.6% - 2.2% 95% C.I.)	MUAC or WHZ (Age 6-59)(375/16654): 2.3%(2.0% - 2.5% 95% C.I.)

Prevalence of underweight based on weight-for-age z-scores by sex

Age	Female	Male	Total
06-11	UnderWeight (Age 6-11) (73/1338): 5.5%(4.2% - 6.7% 95% C.I.)	UnderWeight (Age 6-11) (143/1380): 10.4%(8.8% - 12.0% 95% C.l.)	UnderWeight (Age 6-11)(216/2718): 7.9%(6.9% - 9.0% 95% C.I.)
12-23	UnderWeight (Age 12-23) (99/1964): 5.0%(4.1% - 6.0% 95% C.I.)	UnderWeight (Age 12-23) (176/1957): 9.0%(7.7% - 10.3% 95% C.l.)	UnderWeight (Age 12-23)(275/3921): 7.0%(6.2% - 7.8% 95% C.I.)
24-35	UnderWeight (Age 24-35) (74/1473): 5.0%(3.9% - 6.1% 95% C.I.)	UnderWeight (Age 24-35) (121/1485): 8.1%(6.8% - 9.5% 95% C.I.)	UnderWeight (Age 24-35)(195/2958): 6.6%(5.7% - 7.5% 95% C.I.)
36-47	UnderWeight (Age 36-47) (67/1250): 5.4%(4.1% - 6.6% 95% C.I.)	UnderWeight (Age 36-47) (45/1157): 3.9%(2.8% - 5.0% 95% C.I.)	UnderWeight (Age 36-47)(112/2407): 4.7%(3.8% - 5.5% 95% C.I.)
48-59	UnderWeight (Age 48-59) (71/1344): 5.3%(4.1% - 6.5% 95% C.I.)	UnderWeight (Age 48-59) (77/1481): 5.2%(4.1% - 6.3% 95% C.I.)	UnderWeight (Age 48-59)(148/2825): 5.2%(4.4% - 6.1% 95% C.I.)
Total	UnderWeight (Age 6-59) (384/7369): 5.2%(4.7% - 5.7% 95% C.I.)	UnderWeight (Age 6-59) (562/7460): 7.5%(6.9% - 8.1% 95% C.I.)	UnderWeight (Age 6-59)(946/14829): 6.4%(6.0% - 6.8% 95% C.I.)

	Prevalence of acute malnutrition	on based on MUAC cut off's (and/	or oedema) and by ogv aleppo , Idleb		
Age	Aleppo	Idleb	Total		
06-11	MUAC only (Age 6-11)(126/1810): 7.0%(5.8% - 8.1% 95% C.I.)	MUAC only (Age 6-11)(75/1197): 6.3%(4.9% - 7.6% 95% C.I.)	MUAC only (Age 6-11)(201/3007): 6.7%(5.8% - 7.6% 95% C.I.)		
12-23	MUAC only (Age 12-23)(54/2587): 2.1%(1.5% - 2.6% 95% C.I.)	MUAC only (Age 12-23)(55/1759): 3.1%(2.3% - 3.9% 95% C.I.)	MUAC only (Age 12-23)(109/4346): 2.5%(2.0% - 3.0% 95% C.I.)		
24-35	MUAC only (Age 24-35)(6/2072): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC only (Age 24-35)(9/1361): 0.7%(0.2% - 1.1% 95% C.I.)	MUAC only (Age 24-35)(15/3433): 0.4%(0.2% - 0.7% 95% C.I.)		
36-47	MUAC only (Age 36-47)(0/1723): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 36-47)(1/972): 0.1%(-0.1% - 0.3% 95% C.I.)	MUAC only (Age 36-47)(1/2695): 0.0%(0.0% - 0.1% 95% C.I.)		
48-59	MUAC only (Age 48-59)(0/2086): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 48-59)(0/1087): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 48-59)(0/3173): 0.0%(0.0% - 0.0% 95% C.I.)		
Total	MUAC only (Age 6-59) (186/10278): 1.8%(1.6% - 2.1% 95% C.I.)	MUAC only (Age 6-59) (140/6376): 2.2%(1.8% - 2.6% 95% C.I.)	MUAC only (Age 6-59)(326/16654): 2.0%(1.7% - 2.2% 95% C.I.)		

Prevalence of stunting based on height-for-age z-scores and by gov Aleppo, Idleb									
Age	Aleppo	Idleb	Total						
06-11	Stunting (Age 6-11)(554/1626): 34.1%(31.8% - 36.4% 95% C.I.)	Stunting (Age 6-11)(197/1092): 18.0%(15.8% - 20.3% 95% C.I.)	Stunting (Age 6-11)(751/2718): 27.6%(25.9% - 29.3% 95% C.I.)						
12-23	Stunting (Age 12-23)(987/2329): 42.4%(40.4% - 44.4% 95% C.I.)	Stunting (Age 12-23)(435/1592): 27.3%(25.1% - 29.5% 95% C.I.)	Stunting (Age 12-23)(1422/3921): 36.3%(34.8% - 37.8% 95% C.I.)						
24-35	Stunting (Age 24-35)(792/1780): 44.5%(42.2% - 46.8% 95% C.I.)	Stunting (Age 24-35)(354/1178): 30.1%(27.4% - 32.7% 95% C.I.)	Stunting (Age 24-35)(1146/2958): 38.7%(37.0% - 40.5% 95% C.I.)						
36-47	Stunting (Age 36-47)(587/1536): 38.2%(35.8% - 40.6% 95% C.I.)	Stunting (Age 36-47)(303/871): 34.8%(31.6% - 38.0% 95% C.I.)	Stunting (Age 36-47)(890/2407): 37.0%(35.0% - 38.9% 95% C.I.)						
48-59	Stunting (Age 48-59)(582/1832): 31.8%(29.6% - 33.9% 95% C.I.)	Stunting (Age 48-59)(202/993): 20.3%(17.8% - 22.8% 95% C.I.)	Stunting (Age 48-59)(784/2825): 27.8%(26.1% - 29.4% 95% C.I.)						
Total	Stunting (Age 6-59) (3502/9103): 38.5%(37.5% - 39.5% 95% C.I.)	Stunting (Age 6-59)(1491/5726): 26.0%(24.9% - 27.2% 95% C.I.)	Stunting (Age 6-59)(4993/14829): 33.7%(32.9% - 34.4% 95% C.I.)						

Preval	ence of combined GAM and SAM	1 based on WHZ and MUAC cut of	f's (and/or oedema) and by gov Aleppo, Ic
Age	Aleppo	Idleb	Total
06-11	MUAC or WHZ (Age 6-11) (135/1810): 7.5%(6.2% - 8.7% 95% C.I.)	MUAC or WHZ (Age 6-11)(81/1197): 6.8%(5.3% - 8.2% 95% C.I.)	MUAC or WHZ (Age 6-11)(216/3007): 7.2%(6.3% - 8.1% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (63/2587): 2.4%(1.8% - 3.0% 95% C.I.)	MUAC or WHZ (Age 12-23) (64/1759): 3.6%(2.8% - 4.5% 95% C.I.)	MUAC or WHZ (Age 12-23)(127/4346): 2.9%(2.4% - 3.4% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (7/2072): 0.3%(0.1% - 0.6% 95% C.I.)	MUAC or WHZ (Age 24-35) (12/1361): 0.9%(0.4% - 1.4% 95% C.I.)	MUAC or WHZ (Age 24-35)(19/3433): 0.6%(0.3% - 0.8% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (2/1723): 0.1%(0.0% - 0.3% 95% C.I.)	MUAC or WHZ (Age 36-47)(6/972): 0.6%(0.1% - 1.1% 95% C.I.)	MUAC or WHZ (Age 36-47)(8/2695): 0.3%(0.1% - 0.5% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (1/2086): 0.0%(0.0% - 0.1% 95% C.l.)	MUAC or WHZ (Age 48-59)(4/1087): 0.4%(0.0% - 0.7% 95% C.I.)	MUAC or WHZ (Age 48-59)(5/3173): 0.2%(0.0% - 0.3% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (208/10278): 2.0%(1.8% - 2.3% 95% C.I.)	MUAC or WHZ (Age 6-59) (167/6376): 2.6%(2.2% - 3.0% 95% C.I.)	MUAC or WHZ (Age 6-59)(375/16654): 2.3%(2.0% - 2.5% 95% C.I.)

Total	UnderWeight (Age 6-59) (683/9103): 7.5%(7.0% - 8.0% 95% C.I.)	UnderWeight (Age 6-59) (263/5726): 4.6%(4.1% - 5.1% 95% C.I.)	UnderWeight (Age 6-59)(946/14829): 6.4%(6.0% - 6.8% 95% C.I.)			
48-59	UnderWeight (Age 48-59) (98/1832): 5.3%(4.3% - 6.4% 95% C.I.)	UnderWeight (Age 48-59)(50/993): 5.0%(3.7% - 6.4% 95% C.I.)	UnderWeight (Age 48-59)(148/2825): 5.2%(4.4% - 6.1% 95% C.I.)			
36-47	UnderWeight (Age 36-47) (67/1536): 4.4%(3.3% - 5.4% 95% C.I.)	UnderWeight (Age 36-47)(45/871): 5.2%(3.7% - 6.6% 95% C.I.)	UnderWeight (Age 36-47)(112/2407): 4.7%(3.8% - 5.5% 95% C.I.)			
24-35	UnderWeight (Age 24-35) (161/1780): 9.0%(7.7% - 10.4% 95% C.I.)	UnderWeight (Age 24-35)(34/1178): 2.9%(1.9% - 3.8% 95% C.I.)	UnderWeight (Age 24-35)(195/2958): 6.6%(5.7% - 7.5% 95% C.I.)			
12-23	UnderWeight (Age 12-23) (196/2329): 8.4%(7.3% - 9.5% 95% C.I.)	UnderWeight (Age 12-23)(79/1592): 5.0%(3.9% - 6.0% 95% C.I.)	UnderWeight (Age 12-23)(275/3921): 7.0%(6.2% - 7.8% 95% C.I.)			
06-11	UnderWeight (Age 6-11) (161/1626): 9.9%(8.4% - 11.4% 95% C.I.)	UnderWeight (Age 6-11)(55/1092): 5.0%(3.7% - 6.3% 95% C.I.)	UnderWeight (Age 6-11)(216/2718): 7.9%(6.9% - 9.0% 95% C.I.)			
Age	Aleppo	Idleb	Total			
	Prevalence of underwe	ight based on weight-for-age z-sco	res by gov Aleppo, Idleb			

Nutrition Assessment Results - (Children 6-23 Top 10 GAM by community / month) during a year

community	20200	1	202	002	202	003	202	004	202	.005	202006	202007	202008	202009	202010	202011	2020	012
Afrin				5.70%														
Akhtrein	14	4.29%																
Al Bab								12.94%		10.61%	15.28%	20.16%	17.99%	16.51%	19.15%	12.20%		8.73%
Aqrabat												15.46%						
Atma	0 8	3.70%																
Azaz												20.00%						
Basuta												21.62%						
Bazagha						6.35%							26.43%	36.11%	22.35%			11.03%
Bsheiriyeh - Bello								18.09%		19.47%	22.37%	14.81%		17.51%				
Bulbul				5.30%						12.67%								
Dana														18.70%	17.33%			
Daret Azza								12.00%			12.26%							
Darkosh	0 8	3.51%		8.47%		6.36%					21.03%	16.56%						10.00%
Ghandorah	1	1.40%		5.96%											19.03%	11.03%		9.17%
Idleb				4.86%		5.16%		8.25%										
Jalma											15.31%	15.38%	18.59%					8.57%
Jandairis		5.15%		11.21%		13.19%					15.59%							
Janudiyeh												16.09%	23.57%					
Jarablus						7.22%		22.81%		12.18%	13.61%		20.65%	34.57%	14.62%	17.54%		20.96%
Kafr - Kafrehmul						7.11%												
Kafr Karmin																7.42%		
Kafr Takharim																9.03%		
Ma'arrat Tamasrin						16.67%		9.95%		11.59%						9.95%		8.81%
Maydan Afrin												15.52%						
Qabasin				9.09%							12.12%		29.93%	24.79%	14.29%			9.09%
Rael													20.51%	28.09%	16.67%			
Salama	13	3.76%		5.36%		9.66%				10.91%								
Salqin		5.98%		5.38%		7.21%		10.87%		12.98%			25.90%	22.43%	14.59%	19.86%		
Shamarin								8.85%										
Shawa								10.67%		13.22%	28.88%		16.98%	33.33%	30.51%	8.57%		10.61%
Shmarekh										10.00%	12.43%					10.40%		
Suran	8	3.54%								10.17%								
Tal Heddiyeh		7.41%																
Zoghra		5.95%		5.90%		14.66%	Pin	100.00%				22.97%	20.95%	25.43%	32.23%	23.04%		9.13%

Community /gov covered by month

Month	Aleppo	Idleb	Total
202001	15	7	22
202002	14	6	20
202003	14	7	21
202004	27	13	40
202005	27	13	40
202006	27	13	40
202007	28	13	41
202008	27	13	40
202009	28	12	40
202010	27	12	39
202011	27	12	39
202012	27	12	39
Total	33	15	48

Nutrition Assessment Results - (PLW TOP 10 MAM by community / month) during a yea

community	202001	202002	202003	202004	202005	202006	202007	202008	202009	202010	202011	202012
Abin Samaan	12.50%											
Afrin	8.77%	6.32%										
Akhtrein			5.56%									
Al Bab	5.14%	8.97%	5.85%	10.18%	9.65%	17.30%	22.89%	25.39%	15.99%	17.58%	10.41%	9.80%
Anjara	2.21%											
Basuta							18.18%					
Bazagha					20.83%		33.33%	16.67%				
Bsheiriyeh - Bello					30.43%	50.00%						
Bulbul		5.26%	4.04%									
Dana									20.27%	17.36%	14.16%	8.85%
Daret Azza					15.58%		19.33%	25.93%	12.25%			
Darkosh		2.67%				13.33%						
Ghandorah	6.71%	5.76%	6.12%									
Harim	2.33%							12.50%	11.62%	15.67%	13.41%	13.64%
Hazano					26.74%	27.05%	49.33%	50.44%	13.14%	18.41%	12.35%	11.84%
Idleb							12.96%					
Jalma								12.24%				
Jandairis	10.00%	7.86%	4.71%									
Janudiyeh				9.19%	14.91%	20.24%	15.48%					
Kafr - Kafrehmul		7.08%	16.47%									
Kafr Karmin				8.54%	11.05%							
Kafr Takharim				8.73%					13.19%	8.02%	6.46%	6.45%
Ma'arrat Tamasrin			18.75%	14.48%			15.52%	10.99%		8.16%	4.55%	4.41%
Qabasin		5.51%							10.47%	8.33%		5.85%
Rael								10.71%	11.26%	7.69%	5.93%	
Raju		4.30%										
Salama	0.64%											
Salqin	7.41%	9.84%	12.26%	7.38%	23.08%	17.65%	12.50%	15.28%	20.88%	16.26%	21.58%	9.13%
Sarmada				5.88%		14.63%						
Shamarin				66.67%								
Shawa					17.11%	31.91%	33.33%	33.75%	23.61%	14.42%	15.32%	14.17%
Sheikh El-Hadid						14.79%						
Shmarekh				12.50%	9.77%	11.48%					4.62%	5.79%
Suran			4.41%	5.69%								
Tal Heddiyeh	0.87%											
Zoghra			18.37%									

Community /gov covered by month

Month	Aleppo	Idleb	Total
202001	12	7	19
202002	12	7	19
202003	12	8	20
202004	22	12	34
202005	22	12	34
202006	22	12	34
202007	23	10	33
202008	22	10	32
202009	22	11	33
202010	21	11	32
202011	21	10	31
202012	21	10	31
Total	30	15	45

