



## Nutrition Surveillance System Monthly Bulletin - Syria Early Warning Alert and Response Network





The NSS Reporting HFs continue to upload malnutrition indicators' data on tablets in all the (49) Helath centers in (2) Governorate (9) Districts) and (27) subdistrict, using ODK application. During the reporting period (49 / 49), 100% of the Reporting HFs across (2) Governorates provided surveillance data for NSS, (100%) of reporting health facilities reported on time. The total number of detected malnourished cases is (801) out of (36840), While (21082),57% of the measured children were under 2 years old.


Aleppo

Idleb









Pregnant and lactating women MUAC Screening continued in (40) health facilities in (2) Governorates. (16799) PLW were screened clssified as follow:

Lactating Normal	Pregnant Normal	Lactating Malnorished	Pregnant Malnorished	
9072	7022	179	21!	;


### With great appreciation to our Partneres




Normal MAM SAM




### Nutrition Assessment Results : GAM and PLW MAM rate by community




Top 10 GAM rate by community




PLW MAM rate by Community




Top 10 MAM rate by community






Nutrition Surveillance System Bulletin ,From 01-06-2021, To 30-06-2021







### Nutrition Assessment Results : GAM rate trends by district during one year


### GAM Rate 0-59 by Month and District




### GAM Rate 0-59 by Month and Community












### PLW Total


IDP Status	Gov	PLW Normal	PLW malnourished	PLW Screened	PLW MAM Rate
IDP	Aleppo	7642	117	7759	1.51%
IDP	Idleb	3493	151	3644	4.14%
Resident	Aleppo	1977	31	2008	1.54%
Resident	Idleb	3279	109	3388	3.22%
Total		16391	408	16799	2.43%

Age of marriage	IdpStatus	PLW malnourished	PLW MAM rate
over18	IDP	2.0%	34.43%
over18	Resident	2.1%	17.88%
under18	IDP	2.7%	33.45%
under18	Resident	3.3%	14.24%
Total		2.4%	100.00%




### Nutrition Assessment Results: MAM PLW rate trends by district during one year


PLW MAM Rate by Month and District



PLW MAM Rate by Month and Community








PLW MAM by Month and Gov





### Children under 6 month Screened







Female 3704 (46%)

Male 4276 (54%)

CBF-Breastfed



EBF -Child Exlusive Breast Feed



% Why NotBreastfed




Nutrition Surveillance System Bulletin ,From 01-06-2021, To 30-06-2021




EN


Sex Distribution




13102



Breastfed



Others ( Milk Goats , Etc ..)



Minimum diet diversity

Percentage of children aged 6-23 months who were fed at least 5 (5 out of 8) food groups the previous day







# Minimum meal frequency

Percentage of children aged 6-23 months who were fed the minimum number of meals/snacks during the previous day







26707




Stunting (Age 6-59)(9001/26707): 33.7%( 33.1% - 34.3% 95% C.I.)




Nutrition Surveillance System Bulletin ,From 01-06-2021, To 30-06-2021



UnderWeight (Age 6-59)(2385/26707): 8.9%( 8.6% - 9.3% 95% C.I.)





	Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by sex					
Age	Female	Male	Total			
06-11	MUAC only (Age 6-11)(265/2667): 9.9%( 8.8% - 11.1% 95% C.I.)	MUAC only (Age 6-11)(154/2613): 5.9%( 5.0% - 6.8% 95% C.I.)	MUAC only (Age 6-11)(419/5280): 7.9%( 7.2% - 8.7% 95% C.I.)			
12-23	MUAC only (Age 12-23) (176/3931): 4.5%( 3.8% - 5.1% 95% C.I.)	MUAC only (Age 12-23)(90/3891): 2.3%( 1.8% - 2.8% 95% C.I.)	MUAC only (Age 12-23)(266/7822): 3.4%( 3.0% - 3.8% 95% C.I.)			
24-35	MUAC only (Age 24-35)(11/2750): 0.4%( 0.2% - 0.6% 95% C.I.)	MUAC only (Age 24-35)(12/2726): 0.4%( 0.2% - 0.7% 95% C.I.)	MUAC only (Age 24-35)(23/5476): 0.4%( 0.2% - 0.6% 95% C.I.)			
36-47	MUAC only (Age 36-47)(3/2328): 0.1%( 0.0% - 0.3% 95% C.I.)	MUAC only (Age 36-47)(3/2447): 0.1%( 0.0% - 0.3% 95% C.I.)	MUAC only (Age 36-47)(6/4775): 0.1%( 0.0% - 0.2% 95% C.I.)			
48-59	MUAC only (Age 48-59)(1/2722): 0.0%( 0.0% - 0.1% 95% C.I.)	MUAC only (Age 48-59)(0/2785): 0.0%( 0.0% - 0.0% 95% C.I.)	MUAC only (Age 48-59)(1/5507): 0.0%( 0.0% - 0.1% 95% C.I.)			
Total	MUAC only (Age 6-59) (456/14398): 3.2%( 2.9% - 3.5% 95% C.I.)	MUAC only (Age 6-59) (259/14462): 1.8%( 1.6% - 2.0% 95% C.I.)	MUAC only (Age 6-59)(715/28860): 2.5%( 2.3% - 2.7% 95% C.I.)			

Prevalence of	stunting based	on height-for-age	z-scores and by sex
			_

Age	Female	Male	Total
06-11	Stunting (Age 6-11)(545/2448): 22.3%( 20.6% - 23.9% 95% C.I.)	Stunting (Age 6-11)(780/2381): 32.8%( 30.9% - 34.6% 95% C.I.)	Stunting (Age 6-11)(1325/4829): 27.4%( 26.2% - 28.7% 95% C.I.)
12-23	Stunting (Age 12-23) (1140/3647): 31.3%( 29.8% - 32.8% 95% C.I.)	Stunting (Age 12-23)(1414/3602): 39.3%( 37.7% - 40.9% 95% C.I.)	Stunting (Age 12-23)(2554/7249): 35.2%( 34.1% - 36.3% 95% C.I.)
24-35	Stunting (Age 24-35)(989/2575): 38.4%( 36.5% - 40.3% 95% C.I.)	Stunting (Age 24-35)(1057/2525): 41.9%( 39.9% - 43.8% 95% C.I.)	Stunting (Age 24-35)(2046/5100): 40.1%( 38.8% - 41.5% 95% C.I.)
36-47	Stunting (Age 36-47)(787/2169): 36.3%( 34.3% - 38.3% 95% C.I.)	Stunting (Age 36-47)(853/2262): 37.7%( 35.7% - 39.7% 95% C.I.)	Stunting (Age 36-47)(1640/4431): 37.0%( 35.6% - 38.4% 95% C.I.)
48-59	Stunting (Age 48-59)(737/2530): 29.1%( 27.4% - 30.9% 95% C.I.)	Stunting (Age 48-59)(699/2568): 27.2%( 25.5% - 28.9% 95% C.I.)	Stunting (Age 48-59)(1436/5098): 28.2%( 26.9% - 29.4% 95% C.I.)
Total	Stunting (Age 6-59) (4198/13369): 31.4%( 30.6% - 32.2% 95% C.I.)	Stunting (Age 6-59)(4803/13338): 36.0%( 35.2% - 36.8% 95% C.I.)	Stunting (Age 6-59)(9001/26707): 33.7%( 33.1% - 34.3% 95% C.I.)

## Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's (and/or oedema) and by sex\*

Age	Female	Male	Total
06-11	MUAC or WHZ (Age 6-11) (269/2667): 10.1%( 8.9% - 11.2% 95% C.l.)	MUAC or WHZ (Age 6-11) (160/2613): 6.1%( 5.2% - 7.0% 95% C.I.)	MUAC or WHZ (Age 6-11)(429/5280): 8.1%( 7.4% - 8.9% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (183/3931): 4.7%( 4.0% - 5.3% 95% C.I.)	MUAC or WHZ (Age 12-23) (112/3891): 2.9%( 2.4% - 3.4% 95% C.I.)	MUAC or WHZ (Age 12-23)(295/7822): 3.8%( 3.3% - 4.2% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (16/2750): 0.6%( 0.3% - 0.9% 95% C.I.)	MUAC or WHZ (Age 24-35) (23/2726): 0.8%( 0.5% - 1.2% 95% C.I.)	MUAC or WHZ (Age 24-35)(39/5476): 0.7%( 0.5% - 0.9% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (10/2328): 0.4%( 0.2% - 0.7% 95% C.l.)	MUAC or WHZ (Age 36-47) (6/2447): 0.2%( 0.0% - 0.4% 95% C.l.)	MUAC or WHZ (Age 36-47)(16/4775): 0.3%( 0.2% - 0.5% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (11/2722): 0.4%( 0.2% - 0.6% 95% C.l.)	MUAC or WHZ (Age 48-59) (12/2785): 0.4%( 0.2% - 0.7% 95% C.l.)	MUAC or WHZ (Age 48-59)(23/5507): 0.4%( 0.2% - 0.6% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (489/14398): 3.4%( 3.1% - 3.7% 95% C.I.)	MUAC or WHZ (Age 6-59) (313/14462): 2.2%( 1.9% - 2.4% 95% C.I.)	MUAC or WHZ (Age 6-59)(802/28860): 2.8%( 2.6% - 3.0% 95% C.I.)

### Prevalence of underweight based on weight-for-age z-scores by sex

Age	Female	Male	Total
06-11	UnderWeight (Age 6-11) (258/2448): 10.5%( 9.3% - 11.8% 95% C.l.)	UnderWeight (Age 6-11) (338/2381): 14.2%( 12.8% - 15.6% 95% C.I.)	UnderWeight (Age 6-11)(596/4829): 12.3%( 11.4% - 13.3% 95% C.I.)
12-23	UnderWeight (Age 12-23) (323/3647): 8.9%( 7.9% - 9.8% 95% C.I.)	UnderWeight (Age 12-23) (377/3602): 10.5%( 9.5% - 11.5% 95% C.I.)	UnderWeight (Age 12-23)(700/7249): 9.7%( 9.0% - 10.3% 95% C.I.)
24-35	UnderWeight (Age 24-35) (172/2575): 6.7%( 5.7% - 7.6% 95% C.I.)	UnderWeight (Age 24-35) (199/2525): 7.9%( 6.8% - 8.9% 95% C.I.)	UnderWeight (Age 24-35)(371/5100): 7.3%( 6.6% - 8.0% 95% C.I.)
36-47	UnderWeight (Age 36-47) (160/2169): 7.4%( 6.3% - 8.5% 95% C.I.)	UnderWeight (Age 36-47) (154/2262): 6.8%( 5.8% - 7.8% 95% C.I.)	UnderWeight (Age 36-47)(314/4431): 7.1%( 6.3% - 7.8% 95% C.I.)
48-59	UnderWeight (Age 48-59) (219/2530): 8.7%( 7.6% - 9.8% 95% C.I.)	UnderWeight (Age 48-59) (185/2568): 7.2%( 6.2% - 8.2% 95% C.I.)	UnderWeight (Age 48-59)(404/5098): 7.9%( 7.2% - 8.7% 95% C.I.)
Total	UnderWeight (Age 6-59) (1132/13369): 8.5%( 8.0% - 8.9% 95% C.I.)	UnderWeight (Age 6-59) (1253/13338): 9.4%( 8.9% - 9.9% 95% C.I.)	UnderWeight (Age 6-59)(2385/26707): 8.9%( 8.6% - 9.3% 95% C.I.)

39.4% 95% C.I.)

	Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by gov aleppo, Idleb				
Age	Aleppo	Idleb	Total		
12-23	MUAC only (Age 12-23)(142/4374): 3.2%( 2.7% - 3.8% 95% C.I.)	MUAC only (Age 12-23)(124/3448): 3.6%( 3.0% - 4.2% 95% C.I.)	MUAC only (Age 12-23)(266/7822): 3.4%( 3.0% - 3.8% 95% C.I.)		
24-35	MUAC only (Age 24-35)(16/3069): 0.5%( 0.3% - 0.8% 95% C.I.)	MUAC only (Age 24-35)(7/2407): 0.3%( 0.1% - 0.5% 95% C.I.)	MUAC only (Age 24-35)(23/5476): 0.4%( 0.2% - 0.6% 95% C.I.)		
36-47	MUAC only (Age 36-47)(4/2843): 0.1%( 0.0% - 0.3% 95% C.I.)	MUAC only (Age 36-47)(2/1932): 0.1%( 0.0% - 0.2% 95% C.I.)	MUAC only (Age 36-47)(6/4775): 0.1%( 0.0% - 0.2% 95% C.I.)		
48-59	MUAC only (Age 48-59)(1/3271): 0.0%( 0.0% - 0.1% 95% C.I.)	MUAC only (Age 48-59)(0/2236): 0.0%( 0.0% - 0.0% 95% C.I.)	MUAC only (Age 48-59)(1/5507): 0.0%( 0.0% - 0.1% 95% C.I.)		
06-11	MUAC only (Age 6-11)(218/2951): 7.4%( 6.4% - 8.3% 95% C.I.)	MUAC only (Age 6-11)(201/2329): 8.6%( 7.5% - 9.8% 95% C.I.)	MUAC only (Age 6-11)(419/5280): 7.9%( 7.2% - 8.7% 95% C.I.)		
Total	MUAC only (Age 6-59) (381/16508): 2.3%( 2.1% - 2.5% 95% C.I.)	MUAC only (Age 6-59) (334/12352): 2.7%( 2.4% - 3.0% 95% C.I.)	MUAC only (Age 6-59)(715/28860): 2.5%( 2.3% - 2.7% 95% C.I.)		

Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's (and/or oedema) and by gov Aleppo, Idleb

Prevalence of stunting based on height-for-age z-scores and by gov Aleppo, Idleb				
Age	Aleppo	Idleb	Total	
06-11	Stunting (Age 6-11)(942/2831): 33.3%( 31.5% - 35.0% 95% C.I.)	Stunting (Age 6-11)(383/1998): 19.2%( 17.4% - 20.9% 95% C.I.)	Stunting (Age 6-11)(1325/4829): 27.4%( 26.2% - 28.7% 95% C.I.)	
12-23	Stunting (Age 12-23)(1785/4221): 42.3%( 40.8% - 43.8% 95% C.I.)	Stunting (Age 12-23)(769/3028): 25.4%( 23.8% - 26.9% 95% C.I.)	Stunting (Age 12-23)(2554/7249): 35.2%( 34.1% - 36.3% 95% C.I.)	
24-35	Stunting (Age 24-35)(1304/2942): 44.3%( 42.5% - 46.1% 95% C.I.)	Stunting (Age 24-35)(742/2158): 34.4%( 32.4% - 36.4% 95% C.l.)	Stunting (Age 24-35)(2046/5100): 40.1%( 38.8% - 41.5% 95% C.I.)	
36-47	Stunting (Age 36-47)(1077/2710): 39.7%( 37.9% - 41.6% 95% C.I.)	Stunting (Age 36-47)(563/1721): 32.7%( 30.5% - 34.9% 95% C.I.)	Stunting (Age 36-47)(1640/4431): 37.0%( 35.6% - 38.4% 95% C.I.)	
48-59	Stunting (Age 48-59)(1017/3133): 32.5%( 30.8% - 34.1% 95% C.I.)	Stunting (Age 48-59)(419/1965): 21.3%( 19.5% - 23.1% 95% C.I.)	Stunting (Age 48-59)(1436/5098): 28.2%( 26.9% - 29.4% 95% C.I.)	
Total	Stunting (Age 6-59) (6125/15837): 38.7%( 37.9% -	Stunting (Age 6-59)(2876/10870): 26.5%( 25.6% - 27.3% 95% C.I.)	Stunting (Age 6-59)(9001/26707): 33.7%( 33.1% - 34.3% 95% C.I.)	

Age	Aleppo	Idleb	Total
06-11	MUAC or WHZ (Age 6-11) (222/2951): 7.5%( 6.6% - 8.5% 95% C.I.)	MUAC or WHZ (Age 6-11) (207/2329): 8.9%( 7.7% - 10.0% 95% C.l.)	MUAC or WHZ (Age 6-11)(429/5280): 8.1%( 7.4% - 8.9% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (157/4374): 3.6%( 3.0% - 4.1% 95% C.I.)	MUAC or WHZ (Age 12-23) (138/3448): 4.0%( 3.3% - 4.7% 95% C.I.)	MUAC or WHZ (Age 12-23)(295/7822): 3.8%( 3.3% - 4.2% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (27/3069): 0.9%( 0.5% - 1.2% 95% C.I.)	MUAC or WHZ (Age 24-35) (12/2407): 0.5%( 0.2% - 0.8% 95% C.I.)	MUAC or WHZ (Age 24-35)(39/5476): 0.7%( 0.5% - 0.9% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (10/2843): 0.4%( 0.1% - 0.6% 95% C.I.)	MUAC or WHZ (Age 36-47)(6/1932): 0.3%( 0.1% - 0.6% 95% C.I.)	MUAC or WHZ (Age 36-47)(16/4775): 0.3%( 0.2% - 0.5% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (8/3271): 0.2%( 0.1% - 0.4% 95% C.I.)	MUAC or WHZ (Age 48-59) (15/2236): 0.7%( 0.3% - 1.0% 95% C.I.)	MUAC or WHZ (Age 48-59)(23/5507): 0.4%( 0.2% - 0.6% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (424/16508): 2.6%( 2.3% - 2.8% 95% C.I.)	MUAC or WHZ (Age 6-59) (378/12352): 3.1%( 2.8% - 3.4% 95% C.I.)	MUAC or WHZ (Age 6-59)(802/28860): 2.8%( 2.6% - 3.0% 95% C.I.)

Prevalence of underweight based on weight-for-age z-scores by gov Aleppo, Idleb				
Age	Aleppo	Idleb	Total	
06-11	UnderWeight (Age 6-11) (396/2831): 14.0%( 12.7% - 15.3% 95% C.I.)	UnderWeight (Age 6-11)(200/1998): 10.0%( 8.7% - 11.3% 95% C.I.)	UnderWeight (Age 6-11)(596/4829): 12.3%( 11.4% - 13.3% 95% C.I.)	
12-23	UnderWeight (Age 12-23) (483/4221): 11.4%( 10.5% - 12.4% 95% C.I.)	UnderWeight (Age 12-23)(217/3028): 7.2%( 6.2% - 8.1% 95% C.I.)	UnderWeight (Age 12-23)(700/7249): 9.7%( 9.0% - 10.3% 95% C.I.)	
24-35	UnderWeight (Age 24-35) (255/2942): 8.7%( 7.7% - 9.7% 95% C.I.)	UnderWeight (Age 24-35)(116/2158): 5.4%( 4.4% - 6.3% 95% C.I.)	UnderWeight (Age 24-35)(371/5100): 7.3%( 6.6% - 8.0% 95% C.I.)	
36-47	UnderWeight (Age 36-47) (209/2710): 7.7%( 6.7% - 8.7% 95% C.I.)	UnderWeight (Age 36-47)(105/1721): 6.1%( 5.0% - 7.2% 95% C.I.)	UnderWeight (Age 36-47)(314/4431): 7.1%( 6.3% - 7.8% 95% C.I.)	
48-59	UnderWeight (Age 48-59) (258/3133): 8.2%( 7.3% - 9.2% 95% C.I.)	UnderWeight (Age 48-59)(146/1965): 7.4%( 6.3% - 8.6% 95% C.I.)	UnderWeight (Age 48-59)(404/5098): 7.9%( 7.2% - 8.7% 95% C.I.)	
Total	UnderWeight (Age 6-59) (1601/15837): 10.1%( 9.6% - 10.6% 95% C.I.)	UnderWeight (Age 6-59) (784/10870): 7.2%( 6.7% - 7.7% 95% C.l.)	UnderWeight (Age 6-59)(2385/26707): 8.9%( 8.6% - 9.3% 95% C.I.)	

### Nutrition Assessment Results - (Children 6-23 Top 10 GAM by community / month) during a year

community	202007	202008	202009	202010	202011	202012	202101	202102	202103	202104	202105	202106
Al Bab	<u></u>	17.99%	<u></u>	19.15%	12.20%	8.73%		7.03%	7.58%	8.02%	8.10%	
Aqrabat	15.46%											
Azaz	20.00%											9.15%
Basuta	<u></u>											
Bazagha		26.43%	36.11%	22.35%		11.03%		13.04%	11.21%	<u> </u>		
Bsheiriyeh - Bello	14.81%		<u></u>									
Dana			<u></u>	17.33%								8.96%
Darkosh	<u> </u>					10.00%	8.51%	8.76%			9.33%	<u></u>
Ghandorah				19.03%	11.03%	9.17%	9.54%	8.80%		7.19%		
Jalma	15.38%	<u></u>				8.57%	10.07%	7.53%	7.91%	6.87%	9.39%	8.84%
Janudiyeh	<u></u>	23.57%										
Jarablus		20.65%	34.57%	14.62%	<u>17.54%</u>	20.96%	<u></u>	26.27%	14.29%	10.24%	14.48%	12.45%
Kafr Karmin					7.42%							
Kafr Takharim					9.03%				12.15%	5.37%	9.67%	13.84%
Kafra							9.72%					
Kelly								6.90%				
Kherbet Eljoz								7.69%	8.56%	5.34%		
Korin										5.99%		
Maarin											7.82%	
Ma'arrat Tamasrin					9.95%	8.81%	8.53%		7.63%		9.42%	
Maydan Afrin	<u></u>											
Mhambal											7.21%	9.91%
Qabasin		29.93%	<u></u>	14.29%		9.09%	10.71%		8.43%	9.52%	0.19%	9.92%
Rael		20.51%	28.09%	<u></u>			13.04%	9.68%	5.93%			
Raju												12.75%
Salqin		<u></u>	22.43%	14.59%	<u> </u>							
Shawa		<u></u>	33.33%	30.51%	8.57%	0.61%	7.41%					
Shmarekh					10.40%							
Zoghra	<u></u>	20.95%	25.43%	32.23%	23.04%	9.13%	12.50%	14.71%	12.84%	13.43%	10.94%	8.57%

## Community /gov covered by month

Month	Aleppo	Idleb	Total
202007	28	13	41
202008	27	13	40
202009	28	12	40
202010	27	12	39
202011	27	12	39
202012	27	12	39
202101	27	12	39
202102	28	15	43
202103	28	18	46
202104	28	17	45
202105	27	17	44
202106	27	17	44
Total	29	21	50

### Nutrition Assessment Results - ( PLW TOP 10 MAM by community / month ) during a yea

community	202007	202008	202009	202010	202011	202012	202101	2	202102	202103	20	2104	202	105	202	106
Al Bab	22.89%	25.39%	15.99%	17.58%	10.41%	9.80%	10.709	% (	9.07%	8.859	6	9.22%		11.20%		3.81%
Ariha																3.81%
Basuta	18.18%															
Bazagha	33.33%	16.67%														
Bsheiriyeh - Bello							3.519	%		7.699	6					
Dana			20.27%	17.36%	14.16%	8.85%	4.539	% (	6.80%			4.56%		5.56%		6.99%
Daret Azza	19.33%	25.93%	12.25%													
Darkosh																3.74%
Harim		12.50%	11.62%	15.67%	13.41%	13.64%	7.519	% (	3.90%	6.529	6					5.76%
Hazano	49.33%	50.44%	13.14%	18.41%	12.35%	11.84%	5.789	%								
Idleb	12.96%															
Jalma		12.24%														
Janudiyeh	15.48%															
Jisr-Ash-Shugur												5.33%				
Kafr Takharim			13.19%	8.02%	6.46%	6.45%	6.689	% (	7.35%	13.979	6	11.32%		12.80%		11.61%
Kelly								(	4.89%							
Kherbet Eljoz								(	16.67%	5.859	6	5.06%		7.33%		6.37%
Korin										6.059	6	4.78%		7.02%		
Ma'arrat Tamasrin	15.52%	10.99%		8.16%	4.55%	4.41%		(	6.27%	5.769	6					
Mhambal														4.09%		
Qabasin			10.47%	8.33%		5.85%						4.95%		5.56%		4.41%
Rael		10.71%	11.26%	7.69%	5.93%		9.689	%		6.259	6	5.32%		13.44%		
Raju							5.569	% (	5.10%	5.439	6	6.55%		7.96%		6.60%
Salqin	12.50%	15.28%	20.88%	16.26%	21.58%	9.13%	3.219	% (	6.93%							
Shawa	33.33%	33.75%	23.61%	14.42%	15.32%	14.17%	13.219	% (	6.67%	11.819	6	5.65%		6.40%		6.54%
Shmarekh					4.62%	5.79%										

## Community /gov covered by month

Month	Aleppo	Idleb	Total
202007	23	10	33
202008	22	10	32
202009	22	11	33
202010	21	11	32
202011	21	10	31
202012	21	10	31
202101	21	10	31
202102	22	13	35
202103	22	16	38
202104	22	16	38
202105	22	15	37
202106	22	15	37
Total	24	19	43

