


Month	~
202103	~


Nutrition Surveillance System Monthly Bulletin - Syria Early Warning Alert and Response Network




The NSS Reporting HFs continue to upload malnutrition indicators' data on tablets in all the (51) Helath centers in (2) Governorate (9) Districts) and (27) subdistrict, using ODK application. During the reporting period (51 / 49), 100% of the Reporting HFs across (2) Governorates provided surveillance data for NSS, (100%) of reporting health facilities reported on time. The total number of detected malnourished cases is (513) out of (32167), While (17476),54% of the measured children were under 2 years old.












Pregnant and lactating women MUAC Screening continued in (42) health facilities in (2) Governorates. (14458) PLW were screened clssified as follow:


Lactating Normal	Pregnant Normal	Lactating Malnorished	Pregnant Malnorished	
7723	6007	264	184	1

With great appreciation to our Partneres




Normal MAM SAM


Nutrition Assessment Results : GAM and PLW MAM rate by community



Top 10 GAM rate by community




PLW MAM rate by Community



Top 10 MAM rate by community







Nutrition Surveillance System Bulletin ,From 01-03-2021, To 31-03-2021


Nutrition Assessment Results: GAM rate trends by district during one year


GAM Rate 0-59 by Month and District



GAM Rate 0-59 by Month and Community










PLW Total


IDP Status	Gov	PLW Normal	PLW malnourished	PLW Screened	PLW MAM Rate
	Aleppo	0	0	0	NaN
IDP	Aleppo	6760	158	6918	2.28%
IDP	Idleb	2956	171	3127	5.47%
Resident	Aleppo	1723	39	1762	2.21%
Recident	Idlah	2558	93	2651	2 51%
Total		13997	461	14458	3.19%

Age of marriage	IdpStatus	PLW malnourished	PLW MAM rate
		NaN	
over18	IDP	2.4%	34.74%
over18	Resident	2.2%	17.89%
under18	IDP	4.1%	34.74%
under18	Resident	4.2%	12.64%
Total		3.2%	100.00%





Nutrition Assessment Results: MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District




PLW MAM Rate by Month and Community






PLW MAM by Month and Gov

Gov ● Aleppo ● Ar-Raqqa ● Dar'a ● Hama ● Idleb ● Quneitra





Children under 6 month Screened







Sex Distribution

Female 2822 (48%)


CBF-Breastfed



EBF -Child Exlusive Breast Feed



% Why NotBreastfed




4.90% 9.59% 35.51%

Male 3109 (52%)


Children 6 month to 23 Screened

AR EN


Sex Distribution




11545



Breastfed



Others (Milk Goats, Etc..)



Minimum diet diversity

Percentage of children aged 6-23 months who were fed at least 5 (5 out of 8) food groups the previous day






Minimum meal frequency

Percentage of children aged 6-23 months who were fed the minimum number of meals/snacks during the previous day









Children Screened 6 month and over with weight or height measures


23693




Stunting (Age 6-59)(8200/23693): 34.6%(34.0% - 35.2% 95% C.I.)




Nutrition Surveillance System Bulletin ,From 01-03-2021, To 31-03-2021



UnderWeight (Age 6-59)(1487/23693): 6.3%(6.0% - 6.6% 95% C.I.)





	Prevalence of acute m	nalnutrition based on MUAC cut off	's (and/or oedema) and by sex
Age	Female	Male	Total
06-11	MUAC only (Age 6-11)(191/2330): 8.2%(7.1% - 9.3% 95% C.I.)	MUAC only (Age 6-11)(116/2496): 4.6%(3.8% - 5.5% 95% C.I.)	MUAC only (Age 6-11)(307/4826): 6.4%(5.7% - 7.0% 95% C.I.)
12-23	MUAC only (Age 12-23)(85/3417): 2.5%(2.0% - 3.0% 95% C.I.)	MUAC only (Age 12-23)(46/3302): 1.4%(1.0% - 1.8% 95% C.I.)	MUAC only (Age 12-23)(131/6719): 1.9%(1.6% - 2.3% 95% C.I.)
24-35	MUAC only (Age 24-35)(7/2611): 0.3%(0.1% - 0.5% 95% C.l.)	MUAC only (Age 24-35)(9/2658): 0.3%(0.1% - 0.6% 95% C.I.)	MUAC only (Age 24-35)(16/5269): 0.3%(0.2% - 0.5% 95% C.I.)
36-47	MUAC only (Age 36-47)(2/2134): 0.1%(0.0% - 0.2% 95% C.l.)	MUAC only (Age 36-47)(1/2067): 0.0%(0.0% - 0.1% 95% C.I.)	MUAC only (Age 36-47)(3/4201): 0.1%(0.0% - 0.2% 95% C.I.)
48-59	MUAC only (Age 48-59)(0/2504): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 48-59)(4/2717): 0.1%(0.0% - 0.3% 95% C.I.)	MUAC only (Age 48-59)(4/5221): 0.1%(0.0% - 0.2% 95% C.I.)
Total	MUAC only (Age 6-59) (285/12996): 2.2%(1.9% - 2.4% 95% C.I.)	MUAC only (Age 6-59) (176/13240): 1.3%(1.1% - 1.5% 95% C.I.)	MUAC only (Age 6-59)(461/26236): 1.8%(1.6% - 1.9% 95% C.I.)

	Prevalence of	stunting based on height-for-a	ge z-scores and by sex	
Age	Female	Male	Total	^
06-11	Stunting (Age 6-11)(498/2116): 23.5%(21.7% - 25.3% 95% C.I.)	Stunting (Age 6-11)(691/2284): 30.3%(28.4% - 32.1% 95% C.I.)	Stunting (Age 6-11)(1189/4400): 27.0%(25.7% - 28.3% 95% C.I.)	
12-23	Stunting (Age 12-23) (1007/3134): 32.1%(30.5% - 33.8% 95% C.l.)	Stunting (Age 12-23) (1214/3019): 40.2%(38.5% - 42.0% 95% C.l.)	Stunting (Age 12-23)(2221/6153): 36.1%(34.9% - 37.3% 95% C.I.)	
24-35	Stunting (Age 24-35)(940/2332): 40.3%(38.3% - 42.3% 95% C.I.)	Stunting (Age 24-35) (1052/2379): 44.2%(42.2% - 46.2% 95% C.I.)	Stunting (Age 24-35)(1992/4711): 42.3%(40.9% - 43.7% 95% C.I.)	
36-47	Stunting (Age 36-47)(738/1936): 38.1%(36.0% - 40.3% 95% C.I.)	Stunting (Age 36-47)(709/1824): 38.9%(36.6% - 41.1% 95% C.I.)	Stunting (Age 36-47)(1447/3760): 38.5%(36.9% - 40.0% 95% C.I.)	
48-59	Stunting (Age 48-59)(638/2252):	Stunting (Age 48-59)(713/2417):	Stunting (Age 48-59)(1351/4669): 28.9%(
Total	Stunting (Age 6-59) (3821/11770): 32.5%(31.6% - 33.3% 95% C.l.)	Stunting (Age 6-59) (4379/11923): 36.7%(35.9% - 37.6% 95% C.I.)	Stunting (Age 6-59)(8200/23693): 34.6%(34.0% - 35.2% 95% C.I.)	~

Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's	(and/or oodoma) and by cov*
Prevalence of combined dalvi and salvi based on whiz and work cut on s	(and/or oederna) and by sex

Age	Female	Male	Total
06-11	MUAC or WHZ (Age 6-11) (205/2330): 8.8%(7.6% - 9.9% 95% C.I.)	MUAC or WHZ (Age 6-11) (124/2496): 5.0%(4.1% - 5.8% 95% C.I.)	MUAC or WHZ (Age 6-11)(329/4826): 6.8%(6.1% - 7.5% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (102/3417): 3.0%(2.4% - 3.6% 95% C.I.)	MUAC or WHZ (Age 12-23) (64/3302): 1.9%(1.5% - 2.4% 95% C.I.)	MUAC or WHZ (Age 12-23)(166/6719): 2.5%(2.1% - 2.8% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (11/2611): 0.4%(0.2% - 0.7% 95% C.I.)	MUAC or WHZ (Age 24-35) (16/2658): 0.6%(0.3% - 0.9% 95% C.I.)	MUAC or WHZ (Age 24-35)(27/5269): 0.5%(0.3% - 0.7% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (2/2134): 0.1%(0.0% - 0.2% 95% C.I.)	MUAC or WHZ (Age 36-47) (6/2067): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC or WHZ (Age 36-47)(8/4201): 0.2%(0.1% - 0.3% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (10/2504): 0.4%(0.2% - 0.6% 95% C.I.)	MUAC or WHZ (Age 48-59) (11/2717): 0.4%(0.2% - 0.6% 95% C.I.)	MUAC or WHZ (Age 48-59)(21/5221): 0.4%(0.2% - 0.6% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (330/12996): 2.5%(2.3% - 2.8% 95% C.I.)	MUAC or WHZ (Age 6-59) (221/13240): 1.7%(1.5% - 1.9% 95% C.I.)	MUAC or WHZ (Age 6-59)(551/26236): 2.1%(1.9% - 2.3% 95% C.I.)

Prevalence of underweight based on weight-for-age z-scores by sex

Age	Female	Male	Total
06-11	UnderWeight (Age 6-11) (137/2116): 6.5%(5.4% - 7.5% 95% C.I.)	UnderWeight (Age 6-11) (223/2284): 9.8%(8.5% - 11.0% 95% C.I.)	UnderWeight (Age 6-11)(360/4400): 8.2%(7.4% - 9.0% 95% C.I.)
12-23	UnderWeight (Age 12-23) (130/3134): 4.1%(3.4% - 4.8% 95% C.I.)	UnderWeight (Age 12-23) (222/3019): 7.4%(6.4% - 8.3% 95% C.I.)	UnderWeight (Age 12-23)(352/6153): 5.7%(5.1% - 6.3% 95% C.I.)
24-35	UnderWeight (Age 24-35) (121/2332): 5.2%(4.3% - 6.1% 95% C.I.)	UnderWeight (Age 24-35) (171/2379): 7.2%(6.1% - 8.2% 95% C.I.)	UnderWeight (Age 24-35)(292/4711): 6.2%(5.5% - 6.9% 95% C.I.)
36-47	UnderWeight (Age 36-47) (99/1936): 5.1%(4.1% - 6.1% 95% C.I.)	UnderWeight (Age 36-47) (102/1824): 5.6%(4.5% - 6.6% 95% C.I.)	UnderWeight (Age 36-47)(201/3760): 5.3%(4.6% - 6.1% 95% C.I.)
48-59	UnderWeight (Age 48-59) (154/2252): 6.8%(5.8% - 7.9% 95% C.I.)	UnderWeight (Age 48-59) (128/2417): 5.3%(4.4% - 6.2% 95% C.I.)	UnderWeight (Age 48-59)(282/4669): 6.0%(5.4% - 6.7% 95% C.I.)
Total	UnderWeight (Age 6-59) (641/11770): 5.4%(5.0% - 5.9% 95% C.I.)	UnderWeight (Age 6-59) (846/11923): 7.1%(6.6% - 7.6% 95% C.I.)	UnderWeight (Age 6-59)(1487/23693): 6.3%(6.0% - 6.6% 95% C.I.)

40.3% 95% C.I.)

	Prevalence of acute malnutrition	on based on MUAC cut off's (and/o	or oedema) and by ogv aleppo , Idleb
Age	Aleppo	Idleb	Total
12-23	MUAC only (Age 12-23)(88/4057): 2.2%(1.7% - 2.6% 95% C.I.)	MUAC only (Age 12-23)(43/2662): 1.6%(1.1% - 2.1% 95% C.I.)	MUAC only (Age 12-23)(131/6719): 1.9%(1.6% - 2.3% 95% C.I.)
24-35	MUAC only (Age 24-35)(8/3084): 0.3%(0.1% - 0.4% 95% C.I.)	MUAC only (Age 24-35)(8/2185): 0.4%(0.1% - 0.6% 95% C.I.)	MUAC only (Age 24-35)(16/5269): 0.3%(0.2% - 0.5% 95% C.I.)
36-47	MUAC only (Age 36-47)(3/2609): 0.1%(0.0% - 0.2% 95% C.I.)	MUAC only (Age 36-47)(0/1592): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 36-47)(3/4201): 0.1%(0.0% - 0.2% 95% C.I.)
48-59	MUAC only (Age 48-59)(1/3212): 0.0%(0.0% - 0.1% 95% C.I.)	MUAC only (Age 48-59)(3/2009): 0.1%(0.0% - 0.3% 95% C.I.)	MUAC only (Age 48-59)(4/5221): 0.1%(0.0% - 0.2% 95% C.I.)
06-11	MUAC only (Age 6-11)(190/2937): 6.5%(5.6% - 7.4% 95% C.I.)	MUAC only (Age 6-11)(117/1889): 6.2%(5.1% - 7.3% 95% C.I.)	MUAC only (Age 6-11)(307/4826): 6.4%(5.7% - 7.0% 95% C.I.)
Total	MUAC only (Age 6-59) (290/15899): 1.8%(1.6% - 2.0% 95% C.I.)	MUAC only (Age 6-59) (171/10337): 1.7%(1.4% - 1.9% 95% C.I.)	MUAC only (Age 6-59)(461/26236): 1.8%(1.6% - 1.9% 95% C.I.)

Total	Stunting (Age 6-59) (5650/14309): 39.5%(38.7% -	Stunting (Age 6-59)(2550/9384): 27.2%(26.3% - 28.1% 95% C.I.)	Stunting (Age 6-59)(8200/23693): 34.6%(34.0% - 35.2% 95% C.I.)
48-59	Stunting (Age 48-59)(915/2822): 32.4%(30.7% - 34.2% 95% C.I.)	Stunting (Age 48-59)(436/1847): 23.6%(21.7% - 25.5% 95% C.I.)	Stunting (Age 48-59)(1351/4669): 28.9%(27.6% - 30.2% 95% C.I.)
36-47	Stunting (Age 36-47)(963/2327): 41.4%(39.4% - 43.4% 95% C.I.)	Stunting (Age 36-47)(484/1433): 33.8%(31.3% - 36.2% 95% C.I.)	Stunting (Age 36-47)(1447/3760): 38.5%(36.9% - 40.0% 95% C.I.)
24-35	Stunting (Age 24-35)(1315/2742): 48.0%(46.1% - 49.8% 95% C.l.)	Stunting (Age 24-35)(677/1969): 34.4%(32.3% - 36.5% 95% C.I.)	Stunting (Age 24-35)(1992/4711): 42.3%(40.9% - 43.7% 95% C.I.)
12-23	Stunting (Age 12-23)(1580/3729): 42.4%(40.8% - 44.0% 95% C.I.)	Stunting (Age 12-23)(641/2424): 26.4%(24.7% - 28.2% 95% C.I.)	Stunting (Age 12-23)(2221/6153): 36.1%(34.9% - 37.3% 95% C.I.)
06-11	Stunting (Age 6-11)(877/2689): 32.6%(30.8% - 34.4% 95% C.I.)	Stunting (Age 6-11)(312/1711): 18.2%(16.4% - 20.1% 95% C.I.)	Stunting (Age 6-11)(1189/4400): 27.0%(25.7% - 28.3% 95% C.I.)
Age	Aleppo	Idleb	Total
	Prevalence of stunting	based on height-for-age z-scores	and by gov Aleppo, Idleb

Total	MUAC or WHZ (Age 6-59) (340/15899): 2.1%(1.9% - 2.4% 95% C.I.)	MUAC or WHZ (Age 6-59) (211/10337): 2.0%(1.8% - 2.3% 95% C.I.)	MUAC or WHZ (Age 6-59)(551/26236): 2.1%(1.9% - 2.3% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (10/3212): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC or WHZ (Age 48-59) (11/2009): 0.5%(0.2% - 0.9% 95% C.I.)	MUAC or WHZ (Age 48-59)(21/5221): 0.4%(0.2% - 0.6% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (8/2609): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC or WHZ (Age 36-47)(0/1592): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC or WHZ (Age 36-47)(8/4201): 0.2%(0.1% - 0.3% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (14/3084): 0.5%(0.2% - 0.7% 95% C.I.)	MUAC or WHZ (Age 24-35) (13/2185): 0.6%(0.3% - 0.9% 95% C.I.)	MUAC or WHZ (Age 24-35)(27/5269): 0.5%(0.3% - 0.7% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (107/4057): 2.6%(2.1% - 3.1% 95% C.I.)	MUAC or WHZ (Age 12-23) (59/2662): 2.2%(1.7% - 2.8% 95% C.I.)	MUAC or WHZ (Age 12-23)(166/6719): 2.5%(2.1% - 2.8% 95% C.I.)
06-11	MUAC or WHZ (Age 6-11) (201/2937): 6.8%(5.9% - 7.8% 95% C.I.)	MUAC or WHZ (Age 6-11) (128/1889): 6.8%(5.6% - 7.9% 95% C.I.)	MUAC or WHZ (Age 6-11)(329/4826): 6.8%(6.1% - 7.5% 95% C.I.)
Age	Aleppo	Idleb	Total

Total	UnderWeight (Age 6-59) (1102/14309): 7.7%(7.3% - 8.1% 95% C.I.)	UnderWeight (Age 6-59) (385/9384): 4.1%(3.7% - 4.5% 95% C.l.)	UnderWeight (Age 6-59)(1487/23693): 6.3%(6.0% - 6.6% 95% C.I.)
48-59	UnderWeight (Age 48-59) (183/2822): 6.5%(5.6% - 7.4% 95% C.I.)	UnderWeight (Age 48-59)(99/1847): 5.4%(4.3% - 6.4% 95% C.I.)	UnderWeight (Age 48-59)(282/4669): 6.0%(5.4% - 6.7% 95% C.I.)
36-47	UnderWeight (Age 36-47) (149/2327): 6.4%(5.4% - 7.4% 95% C.I.)	UnderWeight (Age 36-47)(52/1433): 3.6%(2.7% - 4.6% 95% C.I.)	UnderWeight (Age 36-47)(201/3760): 5.3%(4.6% - 6.1% 95% C.I.)
24-35	UnderWeight (Age 24-35) (220/2742): 8.0%(7.0% - 9.0% 95% C.I.)	UnderWeight (Age 24-35)(72/1969): 3.7%(2.8% - 4.5% 95% C.I.)	UnderWeight (Age 24-35)(292/4711): 6.2%(5.5% - 6.9% 95% C.I.)
12-23	UnderWeight (Age 12-23) (277/3729): 7.4%(6.6% - 8.3% 95% C.I.)	UnderWeight (Age 12-23)(75/2424): 3.1%(2.4% - 3.8% 95% C.I.)	UnderWeight (Age 12-23)(352/6153): 5.7%(5.1% - 6.3% 95% C.I.)
06-11	UnderWeight (Age 6-11) (273/2689): 10.2%(9.0% - 11.3% 95% C.I.)	UnderWeight (Age 6-11)(87/1711): 5.1%(4.0% - 6.1% 95% C.I.)	UnderWeight (Age 6-11)(360/4400): 8.2%(7.4% - 9.0% 95% C.I.)
Age	Aleppo	Idleb	Total
	Prevalence of underwe	ight based on weight-for-age z-sco	res by gov Aleppo, Idleb

Nutrition Assessment Results - (Children 6-23 Top 10 GAM by community / month) during a year

community	202	004	202005	202006	202007	202008	202009	202010	202011	202012	202101	202	102	202	103
Al Bab		12.94%	10.61%	15.28%	20.16%	17.99%	16.51%	19.15%	12.20%	8.73	%		7.03%		7.58%
Aqrabat					15.46%										
Azaz					20.00%										
Basuta					21.62%										
Bazagha						26.43%	36.11%	22.35%		11.03	%		13.04%		11.21%
Bsheiriyeh - Bello		18.09%	19.47%	22.37%	14.81%		17.51%								
Bulbul			12.67%												
Dana							18.70%	17.33%							
Daret Azza		12.00%		12.26%											
Darkosh				21.03%	16.56%					10.00	% 8.51%		8.76%		
Ghandorah								19.03%	11.03%	9.17	% 9.54%		8.80%		
Idleb		8.25%													
Jalma				15.31%	15.38%	18.59%				8.57	% 0.07%		7.53%		7.91%
Jandairis				15.59%											
Janudiyeh					16.09%	23.57%									
Jarablus		22.81%	12.18%	13.61%		20.65%	34.57%	14.62%	17.54%	20.96	% 0 16.13%		26.27%		14.29%
Kafr Karmin									7.42%						
Kafr Takharim									9.03%						12.15%
Kafra											9.72%				
Kelly													6.90%		
Kherbet Eljoz													7.69%		8.56%
Ma'arrat Tamasrin		9.95%	11.59%						9.95%	8.81	% 8.53%				7.63%
Maydan Afrin					15.52%										
Qabasin				12.12%		29.93%	24.79%	14.29%		9.09	% 0.71%				8.43%
Rael						20.51%	28.09%	16.67%			13.04%		9.68%		5.93%
Salama			0.91%												
Salqin		10.87%	12.98%			25.90%	22.43%	14.59%	19.86%						
Shamarin		8.85%													
Shawa		10.67%	13.22%	28.88%		16.98%	33.33%	30.51%	8.57%	10.61	% 7.41%				
Shmarekh			10.00%	12.43%					10.40%						
Suran			10.17%												
Zoghra	-	100.00%			22.97%	20.95%	25.43%	32.23%	23.04%	9.13	% 12.50%		14.71%		12.84%

Community /gov covered by month

Month	Aleppo	Idleb	Total
202004	27	13	40
202005	27	13	40
202006	27	13	40
202007	28	13	41
202008	27	13	40
202009	28	12	40
202010	27	12	39
202011	27	12	39
202012	27	12	39
202101	27	12	39
202102	28	15	43
202103	28	18	46
Total	31	21	52

Nutrition Assessment Results - (PLW TOP 10 MAM by community / month) during a yea

community	202004	202005	202006	202007	202008	202009	202010	202011	202012	202101	202102	202103
Al Bab	10.18%	9.65%	17.30%	22.89%	25.39%	15.99%	17.58%	10.41%	9.80%	10.70%	9.07%	8.85%
Basuta				18.18%								
Bazagha		20.83%		33.33%	16.67%							
Bsheiriyeh - Bello		30.43%	50.00%							3.51%		7.69%
Dana						20.27%	17.36%	14.16%	8.85%	4.53%	6.80%	
Daret Azza		15.58%		19.33%	25.93%	12.25%						
Darkosh			13.33%									
Harim					12.50%	11.62%	15.67%	13.41%	13.64%	7.51%	3.90%	6.52%
Hazano		26.74%	27.05%	49.33%	50.44%	13.14%	18.41%	12.35%	11.84%	5.78%		
Idleb				12.96%								
Jalma					12.24%							
Janudiyeh	9.19%	14.91%	20.24%	15.48%								
Kafr Karmin	8.54%	11.05%										
Kafr Takharim	8.73%					13.19%	8.02%	6.46%	6.45%	6.68%	7.35%	13.97%
Kelly											4.89%	
Kherbet Eljoz											16.67%	5.85%
Korin												6.05%
Ma'arrat Tamasrin	14.48%			15.52%	10.99%		8.16%	4.55%	4.41%		6.27%	5.76%
Qabasin						10.47%	8.33%		5.85%			
Rael					10.71%	11.26%	7.69%	5.93%		9.68%		6.25%
Raju										5.56%	5.10%	5.43%
Salqin	7.38%	23.08%	17.65%	12.50%	15.28%	20.88%	16.26%	21.58%	9.13%	3.21%	6.93%	
Sarmada	5.88%		14.63%									
Shamarin	66.67%											
Shawa		17.11%	31.91%	33.33%	33.75%	23.61%	14.42%	15.32%	14.17%	13.21%	6.67%	11.81%
Sheikh El-Hadid			14.79%									
Shmarekh	12.50%	9.77%	11.48%					4.62%	5.79%			
Suran	5.69%											

Community /gov covered by month

Month	Aleppo	Idleb	Total
202004	22	12	34
202005	22	12	34
202006	22	12	34
202007	23	10	33
202008	22	10	32
202009	22	11	33
202010	21	11	32
202011	21	10	31
202012	21	10	31
202101	21	10	31
202102	22	13	35
202103	22	16	38
Total	25	21	46

