



Month	
202105	~


Nutrition Surveillance System Monthly Bulletin - Syria Early Warning Alert and Response Network





The NSS Reporting HFs continue to upload malnutrition indicators' data on tablets in all the (49) Helath centers in (2) Governorate (9) Districts) and (27) subdistrict, using ODK application. During the reporting period (49 / 49), 100% of the Reporting HFs across (2) Governorates provided surveillance data for NSS, (100%) of reporting health facilities reported on time. The total number of detected malnourished cases is (628) out of (32768), While (18604),57% of the measured children were under 2 years old.












Pregnant and lactating women MUAC Screening continued in (40) health facilities in (2) Governorates. (15178) PLW were screened clssified as follow:

Lactating Normal	Pregnant Normal	Lactating Malnorished	Pregnant Malnorished	
8127	6257	194	24	7

With great appreciation to our Partneres







EN

Normal MAM SAM


Nutrition Assessment Results : GAM and PLW MAM rate by community




Top 10 GAM rate by community




PLW MAM rate by Community



Top 10 MAM rate by community






Nutrition Surveillance System Bulletin ,From 01-05-2021, To 31-05-2021







Nutrition Assessment Results : GAM rate trends by district during one year


GAM Rate 0-59 by Month and District



GAM Rate 0-59 by Month and Community








Afrin



Jisr-Ash-Shugur



A'zaz

Harim

PLW Total


0%

IDP Id Resident Al	lleb leppo lleb	3273 1821 2820	128 56 103	3401 1877 2923	3.76% 2.98% 3.52%
IDP Id	lleb				
		3273	128	3401	3.76%
	- I. I				
IDP AI	leppo	6814	163	6977	2.34%
IDP Status Go	ov	PLW Normal	PLW malnourished	PLW Screened	PLW MAM Rate

Al Bab

Ariha

Age of marriage	IdpStatus	PLW malnourished	PLW MAM rate
over18	IDP	2.4%	34.54%
over18	Resident	2.2%	17.87%
under18	IDP	3.2%	33.84%
under18	Resident	4.8%	13.75%
Total		3.0%	100.00%




Idleb


Jebel Saman

Nutrition Assessment Results: MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District




PLW MAM Rate by Month and Community





PLW MAM by Month and Gov



201805 201806 201807 201808 201809 201810 201811 201812 201901 201902 201903 201904 201905 201911 201912 202001 202002 202003 202005 202006 202007 202008 202009 202010 202011 202012 202101 202102 202103 202104 202105


Gov ● Aleppo ● Ar-Raqqa ● Dar'a ● Hama ● Idleb ● Quneitra

7005


Female 3396 (48%) Male 3609 (52%)

Sex Distribution


CBF-Breastfed



EBF -Child Exlusive Breast Feed



% Why NotBreastfed




No




EN


Sex Distribution




11599



Breastfed



Others (Milk Goats , Etc ..)



Minimum diet diversity

Percentage of children aged 6-23 months who were fed at least 5 (5 out of 8) food groups the previous day




Minimum meal frequency

Percentage of children aged 6-23 months who were fed the minimum number of meals/snacks during the previous day






Child have mother or father




Male 5839 (50%)


23711




Stunting (Age 6-59)(7923/23711): 33.4%(32.8% - 34.0% 95% C.I.)




Nutrition Surveillance System Bulletin ,From 01-05-2021, To 31-05-2021



UnderWeight (Age 6-59)(2049/23711): 8.6%(8.3% - 9.0% 95% C.I.)





	Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by sex				
Age	Female	Male	Total		
06-11	MUAC only (Age 6-11)(214/2314): 9.2%(8.1% - 10.4% 95% C.I.)	MUAC only (Age 6-11)(119/2322): 5.1%(4.2% - 6.0% 95% C.I.)	MUAC only (Age 6-11)(333/4636): 7.2%(6.4% - 7.9% 95% C.I.)		
12-23	MUAC only (Age 12-23) (123/3446): 3.6%(2.9% - 4.2% 95% C.I.)	MUAC only (Age 12-23)(91/3517): 2.6%(2.1% - 3.1% 95% C.I.)	MUAC only (Age 12-23)(214/6963): 3.1%(2.7% - 3.5% 95% C.I.)		
24-35	MUAC only (Age 24-35)(16/2488): 0.6%(0.3% - 1.0% 95% C.I.)	MUAC only (Age 24-35)(8/2584): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC only (Age 24-35)(24/5072): 0.5%(0.3% - 0.7% 95% C.I.)		
36-47	MUAC only (Age 36-47)(0/2067): 0.0%(0.0% - 0.0% 95% C.I.)	MUAC only (Age 36-47)(6/2065): 0.3%(0.1% - 0.5% 95% C.I.)	MUAC only (Age 36-47)(6/4132): 0.1%(0.0% - 0.3% 95% C.I.)		
48-59	MUAC only (Age 48-59)(1/2465): 0.0%(0.0% - 0.1% 95% C.I.)	MUAC only (Age 48-59)(1/2495): 0.0%(0.0% - 0.1% 95% C.I.)	MUAC only (Age 48-59)(2/4960): 0.0%(0.0% - 0.1% 95% C.I.)		
Total	MUAC only (Age 6-59) (354/12780): 2.8%(2.5% - 3.1% 95% C.I.)	MUAC only (Age 6-59) (225/12983): 1.7%(1.5% - 2.0% 95% C.I.)	MUAC only (Age 6-59)(579/25763): 2.2%(2.1% - 2.4% 95% C.I.)		

	Prevalence of	z-scores and by sex	
Age	Female	Male	Total
06-11	Stunting (Age 6-11)(449/2142): 21.0%(19.2% - 22.7% 95% C.I.)	Stunting (Age 6-11)(690/2115): 32.6%(30.6% - 34.6% 95% C.I.)	Stunting (Age 6-11)(1139/4257): 26.8%(25.4% - 28.1% 95% C.I.)
12-23	Stunting (Age 12-23)(993/3200): 31.0%(29.4% - 32.6% 95% C.I.)	Stunting (Age 12-23)(1338/3223): 41.5%(39.8% - 43.2% 95% C.I.)	Stunting (Age 12-23)(2331/6423): 36.3%(35.1% - 37.5% 95% C.I.)
24-35	Stunting (Age 24-35)(846/2306): 36.7%(34.7% - 38.7% 95% C.I.)	Stunting (Age 24-35)(1012/2332): 43.4%(41.4% - 45.4% 95% C.I.)	Stunting (Age 24-35)(1858/4638): 40.1%(38.7% - 41.5% 95% C.I.)
36-47	Stunting (Age 36-47)(660/1890): 34.9%(32.8% - 37.1% 95% C.I.)	Stunting (Age 36-47)(682/1898): 35.9%(33.8% - 38.1% 95% C.I.)	Stunting (Age 36-47)(1342/3788): 35.4%(33.9% - 37.0% 95% C.I.)
48-59	Stunting (Age 48-59)(621/2302): 27.0%(25.2% - 28.8% 95% C.I.)	Stunting (Age 48-59)(632/2303): 27.4%(25.6% - 29.3% 95% C.I.)	Stunting (Age 48-59)(1253/4605): 27.2%(25.9% - 28.5% 95% C.I.)
Total	Stunting (Age 6-59) (3569/11840): 30.1%(29.3% - 31.0% 95% C.I.)	Stunting (Age 6-59)(4354/11871): 36.7%(35.8% - 37.5% 95% C.I.)	Stunting (Age 6-59)(7923/23711): 33.4%(32.8% - 34.0% 95% C.I.)

Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's (and/or oedema) and by sex*

Age	Female	Male	Total
06-11	MUAC or WHZ (Age 6-11) (222/2314): 9.6%(8.4% - 10.8% 95% C.I.)	MUAC or WHZ (Age 6-11) (137/2322): 5.9%(4.9% - 6.9% 95% C.I.)	MUAC or WHZ (Age 6-11)(359/4636): 7.7%(7.0% - 8.5% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (141/3446): 4.1%(3.4% - 4.8% 95% C.I.)	MUAC or WHZ (Age 12-23) (116/3517): 3.3%(2.7% - 3.9% 95% C.I.)	MUAC or WHZ (Age 12-23)(257/6963): 3.7%(3.2% - 4.1% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (23/2488): 0.9%(0.5% - 1.3% 95% C.I.)	MUAC or WHZ (Age 24-35) (18/2584): 0.7%(0.4% - 1.0% 95% C.I.)	MUAC or WHZ (Age 24-35)(41/5072): 0.8%(0.6% - 1.1% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (8/2067): 0.4%(0.1% - 0.7% 95% C.I.)	MUAC or WHZ (Age 36-47) (16/2065): 0.8%(0.4% - 1.2% 95% C.I.)	MUAC or WHZ (Age 36-47)(24/4132): 0.6%(0.3% - 0.8% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (12/2465): 0.5%(0.2% - 0.8% 95% C.I.)	MUAC or WHZ (Age 48-59) (13/2495): 0.5%(0.2% - 0.8% 95% C.I.)	MUAC or WHZ (Age 48-59)(25/4960): 0.5%(0.3% - 0.7% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (406/12780): 3.2%(2.9% - 3.5% 95% C.I.)	MUAC or WHZ (Age 6-59) (300/12983): 2.3%(2.1% - 2.6% 95% C.I.)	MUAC or WHZ (Age 6-59)(706/25763): 2.7%(2.5% - 2.9% 95% C.I.)

Prevalence of underweight based on weight-for-age z-scores by sex

Age	Female	Male	Total
06-11	UnderWeight (Age 6-11) (190/2142): 8.9%(7.7% - 10.1% 95% C.I.)	UnderWeight (Age 6-11) (274/2115): 13.0%(11.5% - 14.4% 95% C.I.)	UnderWeight (Age 6-11)(464/4257): 10.9%(10.0% - 11.8% 95% C.I.)
12-23	UnderWeight (Age 12-23) (260/3200): 8.1%(7.2% - 9.1% 95% C.I.)	UnderWeight (Age 12-23) (349/3223): 10.8%(9.8% - 11.9% 95% C.I.)	UnderWeight (Age 12-23)(609/6423): 9.5%(8.8% - 10.2% 95% C.I.)
24-35	UnderWeight (Age 24-35) (177/2306): 7.7%(6.6% - 8.8% 95% C.I.)	UnderWeight (Age 24-35) (201/2332): 8.6%(7.5% - 9.8% 95% C.I.)	UnderWeight (Age 24-35)(378/4638): 8.2%(7.4% - 8.9% 95% C.I.)
36-47	UnderWeight (Age 36-47) (138/1890): 7.3%(6.1% - 8.5% 95% C.I.)	UnderWeight (Age 36-47) (133/1898): 7.0%(5.9% - 8.2% 95% C.I.)	UnderWeight (Age 36-47)(271/3788): 7.2%(6.3% - 8.0% 95% C.I.)
48-59	UnderWeight (Age 48-59) (176/2302): 7.6%(6.6% - 8.7% 95% C.I.)	UnderWeight (Age 48-59) (151/2303): 6.6%(5.5% - 7.6% 95% C.I.)	UnderWeight (Age 48-59)(327/4605): 7.1%(6.4% - 7.8% 95% C.I.)
Total	UnderWeight (Age 6-59) (941/11840): 7.9%(7.5% - 8.4% 95% C.I.)	UnderWeight (Age 6-59) (1108/11871): 9.3%(8.8% - 9.9% 95% C.I.)	UnderWeight (Age 6-59)(2049/23711): 8.6%(8.3% - 9.0% 95% C.I.)

39.3% 95% C.I.)

	Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by gov aleppo , Idleb				
Age	Aleppo	Idleb	Total		
12-23	MUAC only (Age 12-23)(113/4045): 2.8%(2.3% - 3.3% 95% C.I.)	MUAC only (Age 12-23)(101/2918): 3.5%(2.8% - 4.1% 95% C.I.)	MUAC only (Age 12-23)(214/6963): 3.1%(2.7% - 3.5% 95% C.I.)		
24-35	MUAC only (Age 24-35)(14/2950): 0.5%(0.2% - 0.7% 95% C.I.)	MUAC only (Age 24-35)(10/2122): 0.5%(0.2% - 0.8% 95% C.I.)	MUAC only (Age 24-35)(24/5072): 0.5%(0.3% - 0.7% 95% C.I.)		
36-47	MUAC only (Age 36-47)(4/2402): 0.2%(0.0% - 0.3% 95% C.I.)	MUAC only (Age 36-47)(2/1730): 0.1%(0.0% - 0.3% 95% C.I.)	MUAC only (Age 36-47)(6/4132): 0.1%(0.0% - 0.3% 95% C.I.)		
48-59	MUAC only (Age 48-59)(1/2980): 0.0%(0.0% - 0.1% 95% C.I.)	MUAC only (Age 48-59)(1/1980): 0.1%(0.0% - 0.1% 95% C.I.)	MUAC only (Age 48-59)(2/4960): 0.0%(0.0% - 0.1% 95% C.I.)		
06-11	MUAC only (Age 6-11)(214/2634): 8.1%(7.1% - 9.2% 95% C.I.)	MUAC only (Age 6-11)(119/2002): 5.9%(4.9% - 7.0% 95% C.I.)	MUAC only (Age 6-11)(333/4636): 7.2%(6.4% - 7.9% 95% C.I.)		
Total	MUAC only (Age 6-59) (346/15011): 2.3%(2.1% - 2.5% 95% C.I.)	MUAC only (Age 6-59) (233/10752): 2.2%(1.9% - 2.4% 95% C.I.)	MUAC only (Age 6-59)(579/25763): 2.2%(2.1% - 2.4% 95% C.I.)		

Total	Stunting (Age 6-59) (5557/14419): 38.5%(37.7% -	Stunting (Age 6-59)(2366/9292): 25.5%(24.6% - 26.3% 95% C.I.)	Stunting (Age 6-59)(7923/23711): 33.4%(32.8% - 34.0% 95% C.I.)
48-59	Stunting (Age 48-59)(876/2861): 30.6%(28.9% - 32.3% 95% C.I.)	Stunting (Age 48-59)(377/1744): 21.6%(19.7% - 23.5% 95% C.l.)	Stunting (Age 48-59)(1253/4605): 27.2%(25.9% - 28.5% 95% C.I.)
36-47	Stunting (Age 36-47)(894/2308): 38.7%(36.7% - 40.7% 95% C.I.)	Stunting (Age 36-47)(448/1480): 30.3%(27.9% - 32.6% 95% C.I.)	Stunting (Age 36-47)(1342/3788): 35.4%(33.9% - 37.0% 95% C.I.)
24-35	Stunting (Age 24-35)(1287/2827): 45.5%(43.7% - 47.4% 95% C.l.)	Stunting (Age 24-35)(571/1811): 31.5%(29.4% - 33.7% 95% C.I.)	Stunting (Age 24-35)(1858/4638): 40.1%(38.7% - 41.5% 95% C.I.)
12-23	Stunting (Age 12-23)(1666/3885): 42.9%(41.3% - 44.4% 95% C.I.)	Stunting (Age 12-23)(665/2538): 26.2%(24.5% - 27.9% 95% C.l.)	Stunting (Age 12-23)(2331/6423): 36.3%(35.1% - 37.5% 95% C.I.)
06-11	Stunting (Age 6-11)(834/2538): 32.9%(31.0% - 34.7% 95% C.I.)	Stunting (Age 6-11)(305/1719): 17.7%(15.9% - 19.5% 95% C.l.)	Stunting (Age 6-11)(1139/4257): 26.8%(25.4% - 28.1% 95% C.I.)
Age	Aleppo	Idleb	Total
	Prevalence of stunting	based on height-for-age z-scores a	and by gov Aleppo, Idleb

Preval	Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's (and/or oedema) and by gov Aleppo, Idleb				
Age	ge Aleppo Idleb Total	Total			
06-11	MUAC or WHZ (Age 6-11) (231/2634): 8.8%(7.7% - 9.9% 95% C.I.)	MUAC or WHZ (Age 6-11) (128/2002): 6.4%(5.3% - 7.5% 95% C.l.)	MUAC or WHZ (Age 6-11)(359/4636): 7.7%(7.0% - 8.5% 95% C.I.)		
12-23	MUAC or WHZ (Age 12-23) (135/4045): 3.3%(2.8% - 3.9% 95% C.I.)	MUAC or WHZ (Age 12-23) (122/2918): 4.2%(3.5% - 4.9% 95% C.I.)	MUAC or WHZ (Age 12-23)(257/6963): 3.7%(3.2% - 4.1% 95% C.I.)		
24-35	MUAC or WHZ (Age 24-35) (19/2950): 0.6%(0.4% - 0.9% 95% C.l.)	MUAC or WHZ (Age 24-35) (22/2122): 1.0%(0.6% - 1.5% 95% C.I.)	MUAC or WHZ (Age 24-35)(41/5072): 0.8%(0.6% - 1.1% 95% C.I.)		
36-47	MUAC or WHZ (Age 36-47) (17/2402): 0.7%(0.4% - 1.0% 95% C.I.)	MUAC or WHZ (Age 36-47)(7/1730): 0.4%(0.1% - 0.7% 95% C.l.)	MUAC or WHZ (Age 36-47)(24/4132): 0.6%(0.3% - 0.8% 95% C.I.)		
48-59	MUAC or WHZ (Age 48-59) (9/2980): 0.3%(0.1% - 0.5% 95% C.l.)	MUAC or WHZ (Age 48-59) (16/1980): 0.8%(0.4% - 1.2% 95% C.I.)	MUAC or WHZ (Age 48-59)(25/4960): 0.5%(0.3% - 0.7% 95% C.I.)		
Total	MUAC or WHZ (Age 6-59) (411/15011): 2.7%(2.5% - 3.0% 95% C.I.)	MUAC or WHZ (Age 6-59) (295/10752): 2.7%(2.4% - 3.1% 95% C.I.)	MUAC or WHZ (Age 6-59)(706/25763): 2.7%(2.5% - 2.9% 95% C.I.)		

	Prevalence of underwe	eight based on weight-for-age z-sco	res by gov Aleppo, Idleb
Age	Aleppo	Idleb	Total
06-11	UnderWeight (Age 6-11) (339/2538): 13.4%(12.0% - 14.7% 95% C.I.)	UnderWeight (Age 6-11)(125/1719): 7.3%(6.0% - 8.5% 95% C.I.)	UnderWeight (Age 6-11)(464/4257): 10.9%(10.0% - 11.8% 95% C.I.)
12-23	UnderWeight (Age 12-23) (433/3885): 11.1%(10.2% - 12.1% 95% C.I.)	UnderWeight (Age 12-23)(176/2538): 6.9%(5.9% - 7.9% 95% C.I.)	UnderWeight (Age 12-23)(609/6423): 9.5%(8.8% - 10.2% 95% C.I.)
24-35	UnderWeight (Age 24-35) (266/2827): 9.4%(8.3% - 10.5% 95% C.I.)	UnderWeight (Age 24-35)(112/1811): 6.2%(5.1% - 7.3% 95% C.I.)	UnderWeight (Age 24-35)(378/4638): 8.2%(7.4% - 8.9% 95% C.I.)
36-47	UnderWeight (Age 36-47) (183/2308): 7.9%(6.8% - 9.0% 95% C.I.)	UnderWeight (Age 36-47)(88/1480): 5.9%(4.7% - 7.2% 95% C.I.)	UnderWeight (Age 36-47)(271/3788): 7.2%(6.3% - 8.0% 95% C.I.)
48-59	UnderWeight (Age 48-59) (219/2861): 7.7%(6.7% - 8.6% 95% C.I.)	UnderWeight (Age 48-59)(108/1744): 6.2%(5.1% - 7.3% 95% C.I.)	UnderWeight (Age 48-59)(327/4605): 7.1%(6.4% - 7.8% 95% C.I.)
Total	UnderWeight (Age 6-59) (1440/14419): 10.0%(9.5% - 10.5% 95% C.I.)	UnderWeight (Age 6-59) (609/9292): 6.6%(6.1% - 7.1% 95% C.I.)	UnderWeight (Age 6-59)(2049/23711): 8.6%(8.3% - 9.0% 95% C.I.)

Nutrition Assessment Results - (Children 6-23 Top 10 GAM by community / month) during a year

community	202006	202007	202008	202009	202010	202011	202012	202101	202102	202103	202104	202105
Al Bab	15.28%	20.16%	17.99%	16.51%	<u></u>	12.20%	8.73%		7.03%	7.58%	8.66%	8.53%
Agrabat		15.46%										
Azaz		20.00%										
Basuta		<u></u>										
Bazagha			26.43%	36.11%	<u>^</u> 22.35%		11.03%		13.04%	11.21%	5.81%	
Bsheiriyeh - Bello	<u>A</u> 22.37%	14.81%		17.51%								
Dana				18.70%	17.33%							
Daret Azza	12.26%											
Darkosh	21.03%	<u></u>					10.00%	8.51%	8.76%			9.33%
Ghandorah					19.03%	11.03%	9.17%	9.54%	8.80%		7.19%	
Jalma	15.31%	15.38%	18.59%				8.57%	10.07%	7.53%	7.91%	6.87%	9.39%
Jandairis	<u></u>											
Janudiyeh		<u></u>	23.57%									
Jarablus	13.61%		20.65%	34.57%	14.62%	17.54%	<u></u>	<u></u>	26.27%	14.29%	10.24%	14.48%
Kafr Karmin						7.42%						
Kafr Takharim						9.03%				12.15%	5.37%	9.67%
Kafra								9.72%				
Kelly									6.90%			
Kherbet Eljoz									7.69%	8.56%	5.34%	
Korin											5.99%	
Maarin												7.82%
Ma'arrat Tamasrin						9.95%	8.81%	8.53%		7.63%		9.42%
Maydan Afrin		15.52%										
Mhambal												7.21%
Qabasin	12.12%		29.93%	<u></u>	14.29%		9.09%	10.71%		8.43%	9.52%	10.19%
Rael			20.51%	28.09%	16.67%			13.04%	9.68%	5.93%		
Salqin			25.90%	22.43%	14.59%	19.86%						
Shawa	28.88%		16.98%	33.33%	30.51%	8.57%	10.61%	7.41%				
Shmarekh	12.43%					10.40%						
Zoghra		<u>\</u> 22.97%	20.95%	25.43%	32.23%	23.04%	9.13%	12.50%	14.71%	12.84%	13.43%	10.94%

Community /gov covered by month

Month	Aleppo	Idleb	Total
202006	27	13	40
202007	28	13	41
202008	27	13	40
202009	28	12	40
202010	27	12	39
202011	27	12	39
202012	27	12	39
202101	27	12	39
202102	28	15	43
202103	28	18	46
202104	28	17	45
202105	28	17	45
Total	30	21	51

Nutrition Assessment Results - (PLW TOP 10 MAM by community / month) during a yea

community	202006	202007	202008	202009	202010	202011	202012	202101	202102	202103	202104	202105
Al Bab	17.30%	22.89%	25.39%	15.99%	17.58%	10.41%	9.80%	10.70%	9.07%	8.85%	9.22%	11.20%
Basuta		18.18%										
Bazagha		33.33%	16.67%									
Bsheiriyeh - Bello	50.00%							3.51%		7.69%		
Dana				20.27%	17.36%	14.16%	8.85%	4.53%	6.80%		4.56%	5.56%
Daret Azza		19.33%	25.93%	12.25%								
Darkosh	13.33%											
Harim			12.50%	11.62%	15.67%	13.41%	13.64%	7.51%	3.90%	6.52%		
Hazano	27.05%	49.33%	50.44%	13.14%	18.41%	12.35%	11.84%	5.78%				
Idleb		12.96%										
Jalma			12.24%									
Janudiyeh	20.24%	15.48%										
Jisr-Ash-Shugur											5.33%	
Kafr Takharim				13.19%	8.02%	6.46%	6.45%	6.68%	7.35%	13.97%	11.32%	12.80%
Kelly									4.89%			
Kherbet Eljoz									16.67%	5.85%	5.06%	7.33%
Korin										6.05%	4.78%	7.02%
Ma'arrat Tamasrin		15.52%	10.99%		8.16%	4.55%	4.41%		6.27%	5.76%		
Mhambal												4.09%
Qabasin				10.47%	8.33%		5.85%				4.95%	5.56%
Rael			10.71%	11.26%	7.69%	5.93%		9.68%		6.25%	5.32%	13.44%
Raju								5.56%	5.10%	5.43%	6.55%	7.96%
Salqin	17.65%	12.50%	15.28%	20.88%	16.26%	21.58%	9.13%	3.21%	6.93%			
Sarmada	14.63%											
Shawa	31.91%	33.33%	33.75%	23.61%	14.42%	15.32%	14.17%	13.21%	6.67%	11.81%	5.65%	6.40%
Sheikh El-Hadid	14.79%											
Shmarekh	11.48%					4.62%	5.79%					

Community /gov covered by month

Month	Aleppo	Idleb	Total
202006	22	12	34
202007	23	10	33
202008	22	10	32
202009	22	11	33
202010	21	11	32
202011	21	10	31
202012	21	10	31
202101	21	10	31
202102	22	13	35
202103	22	16	38
202104	22	16	38
202105	22	15	37
Total	25	20	45

