

Nutrition Surveillance System was established in mid-2017 with the technical support of UNICEF and CDC to investigate and monitor the malnutrition status of children under the age of five and PLW on a regular basis and as part of EWARN. Although the overall GAM rate was below the level of emergency, a few rapid assessments conducted in some communities revealed pockets of malnutrition and a high stunting rate. As a result, establishing a nutrition surveillance system will be able to detect pockets, needed surveys, trends analysis, and link with the epidemiology situation from EWARN data (Diarrhea, measles, and SARI cases) to identify the appropriate immediate response. From this point, we would like to draw attention to a forgotten area deprived of humanitarian services, and we do not know the extent of the poor nutritional status, which is the NES.

The NSS Reporting HFs continue to upload malnutrition indicators' data on tablets in all the (51) Health centers in (2) Governorate (9) Districts) and (27) subdistrict , using ODK application.

During the reporting period(51) , 100% of the Reporting HFs across (2) Governorates provided surveillance data for NSS ,(100%) of reporting health facilities reported on time.


The total number of detected malnourished cases is (516) out of (38305) , While (21471) ,56% of the measured children were under 2 years old.

With great appreciation to our partners

ACU | Al Ameen | BAHAR | Hand in Hand | IDA | Medical Relive | MSF | Orient | PAC

QRCS | SAMS | SDI | SEMA | Shafak | SRD | Syria Charity | UOSSM | Watan

Nutrition Assessment Results



MUAC only (Age 6-59)(467/30093): 1.55%(1.41% - 1.69% 95% C.I.)


MUAC or WHZ (Age 6-59)(517/30093): 1.72%(1.57% - 1.86% 95% C.I.)

WHZ (Age 6-59)(208/27093): 0.77%(0.66% - 0.87% 95% C.I.)



Stunting (Age 6-59)(8820/27093): 32.55%(32.00% - 33.11% 95% C.I.)

UnderWeight (Age 6-59)(1926/27093): 7.11%(6.80% - 7.41% 95% C.I.)


PLW MAM (389/16784): 2.32%(2.09% - 2.55% 95% C.I.)







Child_Sex




MAM SAM PLW malnourished Children Screened PLW Screened




Normal MAM SAM




GAM rate by community



GAM rate by subdistrict



GAM rate by district



38305

Children screened

25545



Screened IDP

12760

Screened Resident


1.72%

GAM rate 06-59



Children U5 GAM rate and Screened by District and IDP


IdpStatus IDP Resident




GAM Rate Trends Analysis by district (Children Under 5)

Month▲	Gov	District	Idp Status	Malnutrition Cases	Screened	GAM RATE
202110	Aleppo	Afrin	IDP	74	4998	1.48%
202110	Aleppo	Afrin	Resident	5	891	0.56%
202110	Aleppo	Al Bab	IDP	53	2713	1.95%
202110	Aleppo	Al Bab	Resident	19	1739	1.09%
202110	Idleb	Ariha	IDP	12	702	1.71%
202110	Idleb	Ariha	Resident	27	1997	1.35%
202110	Aleppo	A'zaz	IDP	103	4744	2.17%
202110	Aleppo	A'zaz	Resident	7	1055	0.66%
202110	Idleb	Harim	IDP	48	5434	0.88%
202110	Idleb	Harim	Resident	15	1421	1.06%
202110	Idleb	Idleb	IDP	43	2535	1.70%
202110	Idleb	Idleb	Resident	11	775	1.42%
202110	Aleppo	Jarablus	IDP	32	2509	1.28%
202110	Aleppo	Jarablus	Resident	21	1863	1.13%
202110	Aleppo	Jebel Saman	IDP	1	544	0.18%
202110	Aleppo	Jebel Saman	Resident	5	698	0.72%
202110	Idleb	Jisr-Ash-Shugur	IDP	17	1366	1.24%
202110	Idleb	Jisr-Ash-Shugur	Resident	23	2321	0.99%
Total				516	38305	1.35%


MAM and SAM by IdpStatus



MAM and SAM by Gov



MAM and SAM by District



516

GAM cases

423

Cases Followed

51


Cases did not reach treatment centers

93


To be Followed

Cases visited treatment centers

Yes No




Referral Cases by community




Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District




GAM Rate 0-59 by Month and Community




Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Afrin


GAM Rate 0-59 by Month and Community



Community ● Afrin ● Bulbul ● Jalma ● Maydan Afrin ● Raju ● Sharan ● Sheikh El-Hadid


Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Al Bab


GAM Rate 0-59 by Month and Community



Community ● Al Bab ● Bazagha ● Qabasin ● Shawa


Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● A'zaz


GAM Rate 0-59 by Month and Community



Community ● Akhtrein ● Azaz ● Kafra ● Maarin ● Rael ● Salama ● Shamarin ● Shmarekh ● Suran ● Talil Elsham


Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Jarablus


GAM Rate 0-59 by Month and Community



Community ● Ayn Al Bayda ● Ghandorah ● Jarablus ● Tal Aghbar - Tal Elagher ● Tal Elhajar - Tal Elahamar ● Thaheriya Jrables ● Zoghra


Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Jebel Saman


GAM Rate 0-59 by Month and Community



Community ● Daret Azza ● Kafr Karmin


Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Ariha


GAM Rate 0-59 by Month and Community



Community ● Ariha ● Korin ● Mhambal


Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District




District ● Harim

GAM Rate 0-59 by Month and Community




Community ● Aqrabat ● Atma ● Dana ● Harim ● Hezreh - Hezri ● Kafr Takharim ● Salqin ● Sarmada

GAM Rate 0-59 by Month and District



District ● Idleb


GAM Rate 0-59 by Month and Community



Community ● Hazano ● Idleb ● Kelly ● Ma'arrat Tamasrin


Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District




District ● Jisr-Ash-Shugur

GAM Rate 0-59 by Month and Community




Community ● Bsheiriyeh - Bello ● Darkosh ● Janudiyeh ● Jisr-Ash-Shugur ● Kherbet Eljoz

GAM Rate Trends Analysis by Year (Children Under 5)



GAM Rate Trends Analysis by Gov / Month / Year (Children Under 5) :




Children Screend for malnutrition

- Select all
- No
- Yes


Year

2021


GAM Rate compared by SARI ,Measle and Acute diarrhea cases




GAM Rate Trends Analysis by Year (Children <2):




GAM Rate Trends Analysis by Gov / Month / Year ((Children <2):




GAM Rate Trends Analysis by Year (Children >2)




GAM Rate Trends Analysis by Gov / Month / Year (Children >2)




Nutrition Assessment Results - (Pregnant and Lactating Women)



PLW Manutrition by Community




PLW Malnutrition rate by Subdistrict




389 **16784** **2.32%** **260** **129**

PLW malnourished **PLW Screened** **PLW Malnutrition rate** **Malnourished IDP** **Malnourished resident**

PLW Malnutrition rate by district




PLW MAM rate by Dist and IDP Status




PLW Total

IDP Status	Gov	PLW Normal	PLW malnourished	PLW Screened	PLW MAM Rate
IDP	Aleppo	7287	163	7450	2.19%
IDP	Idleb	3653	97	3750	2.59%
Resident	Aleppo	1838	37	1875	1.97%
Resident	Idleb	3617	92	3709	2.48%
Total		16395	389	16784	2.32%


PLW Normal and PLW malnourished by IDP Status



PLW Normal and PLW malnourished by District




PLW Normal and PLW malnourished by District End




Nutrition Assessment Results : MAM PLW rate trends by district during one year


PLW MAM Rate by Month and District



PLW MAM Rate by Month and Community




PLW MAM Rate by Month and District




District ● Afrin

PLW MAM Rate by Month and Community




Community ● Afrin ● Bulbul ● Jalma ● Maydan Afrin ● Raju ● Sharan ● Sheikh El-Hadid

PLW MAM Rate by Month and District




District ● Al Bab

PLW MAM Rate by Month and Community




Community ● Al Bab ● Qabasin ● Shawa

PLW MAM Rate by Month and District



District ● A'zaz


PLW MAM Rate by Month and Community



Community ● Akhtrein ● Azaz ● Kafra ● Maarin ● Rael ● Salama ● Shamarin ● Shmarekh ● Suran ● Talil Elsham


Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District




District ● Jebel Saman

PLW MAM Rate by Month and Community




Community ● Daret Azza ● Kafr Karmin

PLW MAM Rate by Month and District




District ● Ariha

PLW MAM Rate by Month and Community




Community ● Ariha ● Korin ● Mhambal

PLW MAM Rate by Month and District




District ● Harim

PLW MAM Rate by Month and Community




Community ● Atma ● Dana ● Harim ● Hezreh - Hezri ● Kafr Takharim ● Salqin ● Sarmada

PLW MAM Rate by Month and District




District ● Idleb

PLW MAM Rate by Month and Community




Community ● Hazano ● Idleb ● Kelly ● Ma'arrat Tamasrin

PLW MAM Rate by Month and District




District ● Jisr-Ash-Shugur

PLW MAM Rate by Month and Community




Community ● Bsheiriyeh - Bello ● Darkosh ● Janudiyeh ● Jisr-Ash-Shugur ● Kherbet Eljuz

PLW MAM Rate by Month and Year




PLW MAM by Month and Gov




8212


Sex Distribution




CBF-Breastfed




EBF -Child Exclusive Breast Feed



% Why NotBreastfed



Children 6 month to 23 Screened
13259



Minimum diet diversity

Percentage of children aged 6-23 months who were fed at least 5 (5 out of 8) food groups the previous day



52.85%

Minimum meal frequency

Percentage of children aged 6-23 months who were fed the minimum number of meals/snacks during the previous day



49.52%

Minimum acceptable diet

Percentage of children aged 6-23 months who were fed the minimum number of meals/snacks as well as food from the minimum number of food groups¹







22.12%

Nutrition Assessment Results - (Stunting and Under Weight)



Children Screened 6 month and over with weight or height measures

27093




Stunting (Age 6-59)(8820/27093): 32.55%(32.00% - 33.11% 95% C.I.)

UnderWeight (Age 6-59)(1926/27093): 7.11%(6.80% - 7.41% 95% C.I.)



Nutrition Assessment Results - (Stunting during program life)


Child_Sex Female Male




Age group

All

IDP Status IDP Resident



Gov Aleppo Ar-Raqqa Dar'a Hama Homs Idleb Quneitra



Nutrition Assessment indicator results by sex and age group for MUAC based Only , MUAC and Weight for height , height for age , weight for age

Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by sex				Prevalence of stunting based on height-for-age z-scores and by sex			
Age	Female	Male	Total	Age	Female	Male	Total
06-11	MUAC only (Age 6-11)(161/2582): 6.24%(5.30% - 7.17% 95% C.I.)	MUAC only (Age 6-11)(113/2738): 4.13%(3.38% - 4.87% 95% C.I.)	MUAC only (Age 6-11)(274/5320): 5.15%(4.56% - 5.74% 95% C.I.)	06-11	Stunting (Age 6-11)(456/2336): 19.52%(17.91% - 21.13% 95% C.I.)	Stunting (Age 6-11)(803/2479): 32.39%(30.55% - 34.23% 95% C.I.)	Stunting (Age 6-11)(1259/4815): 26.15%(24.91% - 27.39% 95% C.I.)
12-23	MUAC only (Age 12-23) (114/3808): 2.99%(2.45% - 3.53% 95% C.I.)	MUAC only (Age 12-23)(54/4131): 1.31%(0.96% - 1.65% 95% C.I.)	MUAC only (Age 12-23)(168/7939): 2.12%(1.80% - 2.43% 95% C.I.)	12-23	Stunting (Age 12-23)(974/3406): 28.60%(27.08% - 30.11% 95% C.I.)	Stunting (Age 12-23)(1537/3683): 41.73%(40.14% - 43.32% 95% C.I.)	Stunting (Age 12-23)(2511/7089): 35.42% (34.31% - 36.53% 95% C.I.)
24-35	MUAC only (Age 24-35)(9/2812): 0.32%(0.11% - 0.53% 95% C.I.)	MUAC only (Age 24-35)(11/2972): 0.37%(0.15% - 0.59% 95% C.I.)	MUAC only (Age 24-35)(20/5784): 0.35%(0.19% - 0.50% 95% C.I.)	24-35	Stunting (Age 24-35)(876/2515): 34.83%(32.97% - 36.69% 95% C.I.)	Stunting (Age 24-35)(1119/2680): 41.75%(39.89% - 43.62% 95% C.I.)	Stunting (Age 24-35)(1995/5195): 38.40% (37.08% - 39.72% 95% C.I.)
36-47	MUAC only (Age 36-47)(2/2438): 0.08%(-0.03% - 0.20% 95% C.I.)	MUAC only (Age 36-47)(0/2585): 0.00%(0.00% - 0.00% 95% C.I.)	MUAC only (Age 36-47)(2/5023): 0.04%(-0.02% - 0.09% 95% C.I.)	36-47	Stunting (Age 36-47)(725/2195): 33.03%(31.06% - 35.00% 95% C.I.)	Stunting (Age 36-47)(873/2323): 37.58%(35.61% - 39.55% 95% C.I.)	Stunting (Age 36-47)(1598/4518): 35.37% (33.98% - 36.76% 95% C.I.)
48-59	MUAC only (Age 48-59)(2/2837): 0.07%(-0.03% - 0.17% 95% C.I.)	MUAC only (Age 48-59)(1/3190): 0.03%(-0.03% - 0.09% 95% C.I.)	MUAC only (Age 48-59)(3/6027): 0.05%(-0.01% - 0.11% 95% C.I.)	Total	Stunting (Age 6-59) (3710/13026): 28.48%(27.71% - 29.26% 95% C.I.)	Stunting (Age 6-59)(5110/14067): 36.33%(35.53% - 37.12% 95% C.I.)	Stunting (Age 6-59)(8820/27093): 32.55% (32.00% - 33.11% 95% C.I.)
Total	MUAC only (Age 6-59) (288/14477): 1.99%(1.76% - 2.22% 95% C.I.)	MUAC only (Age 6-59) (179/15616): 1.15%(0.98% - 1.31% 95% C.I.)	MUAC only (Age 6-59)(467/30093): 1.55%(1.41% - 1.69% 95% C.I.)				

Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's (and/or oedema) and by sex*				Prevalence of underweight based on weight-for-age z-scores by sex			
Age	Female	Male	Total	Age	Female	Male	Total
06-11	MUAC or WHZ (Age 6-11) (162/2582): 6.27%(5.34% - 7.21% 95% C.I.)	MUAC or WHZ (Age 6-11) (119/2738): 4.35%(3.58% - 5.11% 95% C.I.)	MUAC or WHZ (Age 6-11)(281/5320): 5.28%(4.68% - 5.88% 95% C.I.)	06-11	UnderWeight (Age 6-11) (177/2336): 7.58%(6.50% - 8.65% 95% C.I.)	UnderWeight (Age 6-11) (298/2479): 12.02%(10.74% - 13.30% 95% C.I.)	UnderWeight (Age 6-11)(475/4815): 9.87%(9.02% - 10.71% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (120/3808): 3.15%(2.60% - 3.71% 95% C.I.)	MUAC or WHZ (Age 12-23) (63/4131): 1.53%(1.15% - 1.90% 95% C.I.)	MUAC or WHZ (Age 12-23)(183/7939): 2.31%(1.97% - 2.64% 95% C.I.)	12-23	UnderWeight (Age 12-23) (204/3406): 5.99%(5.19% - 6.79% 95% C.I.)	UnderWeight (Age 12-23) (335/3683): 9.10%(8.17% - 10.02% 95% C.I.)	UnderWeight (Age 12-23)(539/7089): 7.60%(6.99% - 8.22% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (13/2812): 0.46%(0.21% - 0.71% 95% C.I.)	MUAC or WHZ (Age 24-35) (15/2972): 0.50%(0.25% - 0.76% 95% C.I.)	MUAC or WHZ (Age 24-35)(28/5784): 0.48%(0.31% - 0.66% 95% C.I.)	24-35	UnderWeight (Age 24-35) (140/2515): 5.57%(4.67% - 6.46% 95% C.I.)	UnderWeight (Age 24-35) (199/2680): 7.43%(6.43% - 8.42% 95% C.I.)	UnderWeight (Age 24-35)(339/5195): 6.53%(5.85% - 7.20% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (9/2438): 0.37%(0.13% - 0.61% 95% C.I.)	MUAC or WHZ (Age 36-47) (2/2585): 0.08%(-0.03% - 0.18% 95% C.I.)	MUAC or WHZ (Age 36-47)(11/5023): 0.22%(0.09% - 0.35% 95% C.I.)	36-47	UnderWeight (Age 36-47) (117/2195): 5.33%(4.39% - 6.27% 95% C.I.)	UnderWeight (Age 36-47) (139/2323): 5.98%(5.02% - 6.95% 95% C.I.)	UnderWeight (Age 36-47)(256/4518): 5.67%(4.99% - 6.34% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (7/2837): 0.25%(0.06% - 0.43% 95% C.I.)	MUAC or WHZ (Age 48-59) (7/3190): 0.22%(0.06% - 0.38% 95% C.I.)	MUAC or WHZ (Age 48-59)(14/6027): 0.23%(0.11% - 0.35% 95% C.I.)	48-59	UnderWeight (Age 48-59) (162/2574): 6.29%(5.36% - 7.23% 95% C.I.)	UnderWeight (Age 48-59) (155/2902): 5.34%(4.52% - 6.16% 95% C.I.)	UnderWeight (Age 48-59)(317/5476): 5.79%(5.17% - 6.41% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (311/14477): 2.15%(1.91% - 2.38% 95% C.I.)	MUAC or WHZ (Age 6-59) (206/15616): 1.32%(1.14% - 1.50% 95% C.I.)	MUAC or WHZ (Age 6-59)(517/30093): 1.72%(1.57% - 1.86% 95% C.I.)	Total	UnderWeight (Age 6-59) (800/13026): 6.14%(5.73% - 6.55% 95% C.I.)	UnderWeight (Age 6-59) (1126/14067): 8.00%(7.56% - 8.45% 95% C.I.)	UnderWeight (Age 6-59)(1926/27093): 7.11%(6.80% - 7.41% 95% C.I.)

Nutrition Assessment indicator results by gov and age group for MUAC based Only , MUAC and Weight for height , height for age , weight for age

Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by gov aleppo , Idleb				Prevalence of stunting based on height-for-age z-scores and by gov Aleppo, Idleb			
Age	Aleppo	Idleb	Total	Age	Aleppo	Idleb	Total
12-23	MUAC only (Age 12-23)(111/4583): 2.42%(1.98% - 2.87% 95% C.I.)	MUAC only (Age 12-23)(57/3356): 1.70%(1.26% - 2.14% 95% C.I.)	MUAC only (Age 12-23)(168/7939): 2.12%(1.80% - 2.43% 95% C.I.)	06-11	Stunting (Age 6-11)(858/2904): 29.55%(27.89% - 31.20% 95% C.I.)	Stunting (Age 6-11)(401/1911): 20.98%(19.16% - 22.81% 95% C.I.)	Stunting (Age 6-11)(1259/4815): 26.15%(24.91% - 27.39% 95% C.I.)
24-35	MUAC only (Age 24-35)(12/3328): 0.36%(0.16% - 0.56% 95% C.I.)	MUAC only (Age 24-35)(8/2456): 0.33%(0.10% - 0.55% 95% C.I.)	MUAC only (Age 24-35)(20/5784): 0.35%(0.19% - 0.50% 95% C.I.)	12-23	Stunting (Age 12-23)(1805/4326): 41.72%(40.26% - 43.19% 95% C.I.)	Stunting (Age 12-23)(706/2763): 25.55%(23.93% - 27.18% 95% C.I.)	Stunting (Age 12-23)(2511/7089): 35.42%(34.31% - 36.53% 95% C.I.)
36-47	MUAC only (Age 36-47)(2/2955): 0.07%(-0.03% - 0.16% 95% C.I.)	MUAC only (Age 36-47)(0/2068): 0.00%(0.00% - 0.00% 95% C.I.)	MUAC only (Age 36-47)(2/5023): 0.04%(-0.02% - 0.09% 95% C.I.)	24-35	Stunting (Age 24-35)(1346/3127): 43.04%(41.31% - 44.78% 95% C.I.)	Stunting (Age 24-35)(649/2068): 31.38%(29.38% - 33.38% 95% C.I.)	Stunting (Age 24-35)(1995/5195): 38.40%(37.08% - 39.72% 95% C.I.)
48-59	MUAC only (Age 48-59)(2/3655): 0.05%(-0.02% - 0.13% 95% C.I.)	MUAC only (Age 48-59)(1/2372): 0.04%(-0.04% - 0.12% 95% C.I.)	MUAC only (Age 48-59)(3/6027): 0.05%(-0.01% - 0.11% 95% C.I.)	36-47	Stunting (Age 36-47)(1127/2782): 40.51%(38.69% - 42.33% 95% C.I.)	Stunting (Age 36-47)(471/1736): 27.13%(25.04% - 29.22% 95% C.I.)	Stunting (Age 36-47)(1598/4518): 35.37%(33.98% - 36.76% 95% C.I.)
06-11	MUAC only (Age 6-11)(165/3041): 5.43%(4.62% - 6.23% 95% C.I.)	MUAC only (Age 6-11)(109/2279): 4.78%(3.91% - 5.66% 95% C.I.)	MUAC only (Age 6-11)(274/5320): 5.15%(4.56% - 5.74% 95% C.I.)	Total	Stunting (Age 6-59) (6222/16607): 37.47%(36.73% - 38.20% 95% C.I.)	Stunting (Age 6-59)(2598/10486): 24.78%(23.95% - 25.60% 95% C.I.)	Stunting (Age 6-59)(8820/27093): 32.55%(32.00% - 33.11% 95% C.I.)
Total	MUAC only (Age 6-59) (292/17562): 1.66%(1.47% - 1.85% 95% C.I.)	MUAC only (Age 6-59) (175/12531): 1.40%(1.19% - 1.60% 95% C.I.)	MUAC only (Age 6-59)(467/30093): 1.55%(1.41% - 1.69% 95% C.I.)				
Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's (and/or oedema) and by gov Aleppo, Idleb				Prevalence of underweight based on weight-for-age z-scores by gov Aleppo, Idleb			
Age	Aleppo	Idleb	Total	Age	Aleppo	Idleb	Total
06-11	MUAC or WHZ (Age 6-11) (170/3041): 5.59%(4.77% - 6.41% 95% C.I.)	MUAC or WHZ (Age 6-11) (111/2279): 4.87%(3.99% - 5.75% 95% C.I.)	MUAC or WHZ (Age 6-11)(281/5320): 5.28%(4.68% - 5.88% 95% C.I.)	06-11	UnderWeight (Age 6-11) (327/2904): 11.26%(10.11% - 12.41% 95% C.I.)	UnderWeight (Age 6-11)(148/1911): 7.74%(6.55% - 8.94% 95% C.I.)	UnderWeight (Age 6-11)(475/4815): 9.87%(9.02% - 10.71% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (118/4583): 2.57%(2.12% - 3.03% 95% C.I.)	MUAC or WHZ (Age 12-23) (65/3356): 1.94%(1.47% - 2.40% 95% C.I.)	MUAC or WHZ (Age 12-23)(183/7939): 2.31%(1.97% - 2.64% 95% C.I.)	12-23	UnderWeight (Age 12-23) (386/4326): 8.92%(8.07% - 9.77% 95% C.I.)	UnderWeight (Age 12-23)(153/2763): 5.54%(4.68% - 6.39% 95% C.I.)	UnderWeight (Age 12-23)(539/7089): 7.60%(6.99% - 8.22% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (17/3328): 0.51%(0.27% - 0.75% 95% C.I.)	MUAC or WHZ (Age 24-35) (11/2456): 0.45%(0.18% - 0.71% 95% C.I.)	MUAC or WHZ (Age 24-35)(28/5784): 0.48%(0.31% - 0.66% 95% C.I.)	24-35	UnderWeight (Age 24-35) (239/3127): 7.64%(6.71% - 8.57% 95% C.I.)	UnderWeight (Age 24-35)(100/2068): 4.84%(3.91% - 5.76% 95% C.I.)	UnderWeight (Age 24-35)(339/5195): 6.53%(5.85% - 7.20% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (9/2955): 0.30%(0.11% - 0.50% 95% C.I.)	MUAC or WHZ (Age 36-47)(2/2068): 0.10%(-0.04% - 0.23% 95% C.I.)	MUAC or WHZ (Age 36-47)(11/5023): 0.22%(0.09% - 0.35% 95% C.I.)	36-47	UnderWeight (Age 36-47) (167/2782): 6.00%(5.12% - 6.89% 95% C.I.)	UnderWeight (Age 36-47)(89/1736): 5.13%(4.09% - 6.16% 95% C.I.)	UnderWeight (Age 36-47)(256/4518): 5.67%(4.99% - 6.34% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (7/3655): 0.19%(0.05% - 0.33% 95% C.I.)	MUAC or WHZ (Age 48-59)(7/2372): 0.30%(0.08% - 0.51% 95% C.I.)	MUAC or WHZ (Age 48-59)(14/6027): 0.23%(0.11% - 0.35% 95% C.I.)	48-59	UnderWeight (Age 48-59) (205/3468): 5.91%(5.13% - 6.70% 95% C.I.)	UnderWeight (Age 48-59)(112/2008): 5.58%(4.57% - 6.58% 95% C.I.)	UnderWeight (Age 48-59)(317/5476): 5.79%(5.17% - 6.41% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (321/17562): 1.83%(1.63% - 2.03% 95% C.I.)	MUAC or WHZ (Age 6-59) (196/12531): 1.56%(1.35% - 1.78% 95% C.I.)	MUAC or WHZ (Age 6-59)(517/30093): 1.72%(1.57% - 1.86% 95% C.I.)	Total	UnderWeight (Age 6-59) (1324/16607): 7.97%(7.56% - 8.38% 95% C.I.)	UnderWeight (Age 6-59) (602/10486): 5.74%(5.30% - 6.19% 95% C.I.)	UnderWeight (Age 6-59)(1926/27093): 7.11%(6.80% - 7.41% 95% C.I.)

Nutrition Assessment Results - (Children 6-23 Top 10 GAM by community / month) during a year

community	202011	202012	202101	202102	202103	202104	202105	202106	202107	202108	202109	202110
Akhtrein										8.63%		
Al Bab	12.20%	8.73%		7.03%	7.58%	8.02%	8.10%		10.16%	9.23%	8.64%	
Azaz								9.15%	8.25%			
Bazagha		11.03%		13.04%	11.21%	16.67%						
Dana								8.96%	12.50%			
Darkosh		10.00%	8.51%	8.76%			9.33%	17.12%	9.84%	14.54%	9.41%	6.45%
Ghandorah	11.03%	9.17%	9.54%	8.80%		7.19%			10.67%	9.80%	8.17%	
Hezreh - Hezri										8.12%		
Idleb												6.28%
Jalma		8.57%	10.07%	7.53%	7.91%	6.87%	9.39%	8.84%		10.50%		
Jarablus	17.54%	20.96%	16.13%	26.27%	14.29%	10.24%	14.48%	12.45%	9.42%	9.83%		
Kafr Karmin	7.42%											
Kafr Takharim	9.03%				12.15%	5.37%	9.67%	13.84%	10.14%	11.47%	11.78%	8.05%
Kafra			9.72%									
Kelly				6.90%								
Kherbet Eljoz				7.69%	8.56%	5.34%						
Korin						5.99%					8.80%	6.06%
Maarin							7.82%				7.78%	10.19%
Ma'arrat Tamasrin	9.95%	8.81%	8.53%		7.63%		9.42%				7.42%	4.71%
Maydan Afrin												5.06%
Mhambal							7.21%	9.91%				
Qabasin		9.09%	10.71%		8.43%	9.52%	10.19%	9.92%	17.14%	13.37%	7.72%	
Rael			13.04%	9.68%	5.93%							
Raju								12.75%	8.70%		10.19%	6.36%
Salama												7.27%
Salqin	19.86%											
Shawa	8.57%	10.61%	7.41%									
Sheikh El-Hadid												5.10%
Shmarekh	10.40%											

Community /gov covered by month

Month	Aleppo	Idleb	Total
202011	27	12	39
202012	27	12	39
202101	27	12	39
202102	28	15	43
202103	28	18	46
202104	28	17	45
202105	27	17	44
202106	27	17	44
202107	26	17	43
202108	27	17	44
202109	25	17	42
202110	26	18	44
Total	30	20	50

Nutrition Assessment Results - (PLW TOP 10 MAM by community / month) during a yea


community	202011	202012	202101	202102	202103	202104	202105	202106	202107	202108	202109	202110
Afrin												3.31%
Akhtrein												3.23%
Al Bab	10.41%	9.80%	10.70%	9.07%	8.85%	9.22%	11.20%	3.81%	9.04%	10.13%	6.96%	5.20%
Ariha								3.81%		3.27%		3.63%
Bsheiriyeh - Bello			3.51%		7.69%							
Dana	14.16%	8.85%	4.53%	6.80%		4.56%	5.56%	6.99%	9.59%	4.53%	7.35%	
Darkosh								3.74%				3.07%
Harim	13.41%	13.64%	7.51%	3.90%	6.52%			5.76%	4.63%	3.20%		3.33%
Hazano	12.35%	11.84%	5.78%									
Hezreh - Hezri										3.32%	3.95%	
Idleb									3.50%			
Jisr-Ash-Shugur						5.33%						3.86%
Kafr Karmin									4.86%	4.01%	3.44%	
Kafr Takharim	6.46%	6.45%	6.68%	7.35%	13.97%	11.32%	12.80%	11.61%	8.46%	9.27%	8.17%	6.54%
Kelly				4.89%								
Kherbet Eljoz				16.67%	5.85%	5.06%	7.33%	6.37%			5.64%	5.51%
Korin					6.05%	4.78%	7.02%		3.84%		4.63%	
Maarin											4.45%	
Ma'arrat Tamasrin	4.55%	4.41%		6.27%	5.76%							
Mhambal							4.09%		3.33%	5.18%		
Qabasin		5.85%				4.95%	5.56%	4.41%	3.46%			
Rael	5.93%		9.68%		6.25%	5.32%	13.44%					
Raju			5.56%	5.10%	5.43%	6.55%	7.96%	6.60%	4.67%	4.46%	5.43%	4.45%
Salqin	21.58%	9.13%	3.21%	6.93%								
Shawa	15.32%	14.17%	13.21%	6.67%	11.81%	5.65%	6.40%	6.54%			4.15%	
Shmarekh	4.62%	5.79%										
Suran										3.58%		

Community /gov covered by month


Month	Aleppo	Idleb	Total
202011	21	10	31
202012	21	10	31
202101	21	10	31
202102	22	13	35
202103	22	16	38
202104	22	16	38
202105	22	15	37
202106	22	15	37
202107	21	15	36
202108	21	15	36
202109	20	15	35
202110	20	16	36
Total	22	19	41

programme Life


Total screened by governerate




Children screened by year



GAM rate by district during programme life




PLW screened by year



Reporting H.F , Timeliness and completeness by month

Completeness% Timeliness% Reporting H.F.



Children GAM rate by governerate during pro...

