



Month
202109

Nutrition Surveillance System Monthly Bulletin - Syria Early Warning Alert and Response Network



The NSS Reporting HFs continue to upload malnutrition indicators' data on tablets in all the (49) Health centers in (2)Governorate (9) Districts) and (27) subdistrict , using ODK application. During the reporting period(49 / 49) , 100% of the Reporting HFs across (2) Governorates provided surveillance data for NSS ,(100%) of reporting health facilities reported on time. The total number of detected malnourished cases is (763) out of (39058) , While (21855) ,56% of the measured children were under 2 years old.


Nutritional Status

MAM		Normal		SAM	
N	%	N	%	N	%
591	1.51%	38295	98.05%	172	0.44%

Edema cases


0

Screened by Governorate




Gov	Screened
Aleppo	22427
Idlib	16631
Total	39058

GAM rate by governorate



The cases classified as follow :
Age Distribution



Pregnant and lactating women MUAC Screening continued in (39) health facilities in (2) Governorates. (16310) PLW were screened and classified as follow :


Lactating Normal	Pregnant Normal	Lactating Malnourished	Pregnant Malnourished
8896	6489	208	246

With great appreciation to our partners

ACU | Al Ameen | BAHAR | Hand in Hand | IDA | Medical Relive | MSF | Orient | PAC

QRCS | SAMS | SDI | SEMA | Shafak | SRD | Syria Charity | UOSSM | Watan

Nutrition Assessment Results



MUAC only (Age 6-59)(679/30964): 2.19%(2.03% - 2.36% 95% C.I.)





MUAC or WHZ (Age 6-59)(764/30964): 2.47%(2.29% - 2.64% 95% C.I.)

WHZ (Age 6-59)(332/28001): 1.19%(1.06% - 1.31% 95% C.I.)





Stunting (Age 6-59)(9281/28001): 33.15%(32.59% - 33.70% 95% C.I.)

UnderWeight (Age 6-59)(2419/28001): 8.64%(8.31% - 8.97% 95% C.I.)


PLW MAM (464/16310): 2.84%(2.59% - 3.10% 95% C.I.)




Nutrition Assessment Results : GAM and PLW MAM rate by community




GAM rate by community



GAM rate by subdistrict



GAM rate by district



39058

Children screened

25949



Screened IDP

13111


Screened Resident

2.47%

GAM rate 06-59




Children U5 GAM rate and Screened by District and IDP




GAM Rate Trends Analysis by district (Children Under 5)

Month	Gov	District	Idp Status	Malnutrition Cases	Screened	GAM RATE
202109	Aleppo	Afrin	IDP	88	4972	1.77%
202109	Aleppo	Afrin	Resident	3	926	0.32%
202109	Aleppo	Al Bab	IDP	98	2914	3.36%
202109	Aleppo	Al Bab	Resident	38	1771	2.15%
202109	Idleb	Ariha	IDP	8	706	1.13%
202109	Idleb	Ariha	Resident	56	2314	2.42%
202109	Aleppo	A'zaz	IDP	90	5145	1.75%
202109	Aleppo	A'zaz	Resident	10	970	1.03%
202109	Idleb	Harim	IDP	106	5506	1.93%
202109	Idleb	Harim	Resident	33	1246	2.65%
202109	Idleb	Idleb	IDP	51	2530	2.02%
202109	Idleb	Idleb	Resident	6	889	0.67%
202109	Aleppo	Jarablus	IDP	65	2371	2.74%
202109	Aleppo	Jarablus	Resident	38	2245	1.69%
202109	Aleppo	Jebel Saman	IDP	10	440	2.27%
202109	Aleppo	Jebel Saman	Resident	6	673	0.89%
202109	Idleb	Jisr-Ash-Shugur	IDP	23	1363	1.69%
202109	Idleb	Jisr-Ash-Shugur	Resident	34	2077	1.64%
Total				763	39058	1.95%


MAM and SAM by IdpStatus



MAM and SAM by Gov




MAM and SAM by District




Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Afrin ● Al Bab ● Ariha ● A'zaz ● Harim ● Idleb ● Jarablus ● Jebel Saman ● Jisr-Ash-Shugur


GAM Rate 0-59 by Month and Community




Community ● Afrin ● Akhtrein ● Al Bab ● Aqrabat ● Ariha ● Atma ● Ayn Al B... ● Azaz ● Bazagha ● Bsheiriy... ● Bulbul ● Dana ● Daret A... ● Darkosh ● Ghando... ● Harim ● Hazano ● Hezreh ... ● Idleb ▶

Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District




GAM Rate 0-59 by Month and Community




Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Al Bab


GAM Rate 0-59 by Month and Community




Community ● Al Bab ● Bazagha ● Qabasin ● Shawa

Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District




GAM Rate 0-59 by Month and Community




Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Jarablus


GAM Rate 0-59 by Month and Community



Community ● Ayn Al Bayda ● Ghandorah ● Jarablus ● Tal Elhajar - Tal Elahamar ● Thaheriya Jrables ● Zoghra


Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Jebel Saman


GAM Rate 0-59 by Month and Community




Community ● Daret Azza ● Kafr Karmin

Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District




GAM Rate 0-59 by Month and Community




Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District



District ● Harim


GAM Rate 0-59 by Month and Community




Community ● Aqrabat ● Atma ● Dana ● Harim ● Hezreh - Hezri ● Kafr Takharim ● Salqin

ⓧ Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District




GAM Rate 0-59 by Month and Community




Nutrition Assessment Results : GAM rate trends by district during one year

GAM Rate 0-59 by Month and District




District ● Jisr-Ash-Shugur

GAM Rate 0-59 by Month and Community




Community ● Bsheiriyeh - Bello ● Darkosh ● Janudiyeh ● Jisr-Ash-Shugur ● Kherbet Eljoz


GAM Rate Trends Analysis by Year (Children Under 5)




GAM Rate Trends Analysis by Gov / Month / Year (Children Under 5) :




<2




GAM Rate Trends Analysis by Gov / Month / Year ((Children <2):






>2




GAM Rate Trends Analysis by Gov / Month / Year (Children >2)



Nutrition Assessment Results - (Pregnant and Lactating Women)




PLW MAM rate by Dist and IDP Status




PLW Total

IDP Status	Gov	PLW Normal	PLW malnourished	PLW Screened	PLW MAM Rate
IDP	Aleppo	6991	195	7186	2.71%
IDP	Idleb	3475	117	3592	3.26%
Resident	Aleppo	1856	37	1893	1.95%
Resident	Idleb	3524	115	3639	3.16%
Total		15846	464	16310	2.84%


PLW Normal and PLW malnourished ...



PLW Normal and PLW malnourished b...




PLW Normal and PLW malnourished by District En




Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District




District ● Afrin ● Al Bab ● Ariha ● A'zaz ● Harim ● Idleb ● Jebel Saman ● Jisr-Ash-Shugur

PLW MAM Rate by Month and Community


Community ● Afrin ● Akhtrein ● Al Bab ● Ariha ● Atma ● Azaz ● Bsheiriy... ● Bulbul ● Dana ● Daret A... ● Darkosh ● Harim ● Hazano ● Hezreh ... ● Idleb ● Jalma ● Janudiyyeh ● Jisr-Ash... ● Kafr Kar... ▶

Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District




PLW MAM Rate by Month and Community




Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District



District ● Al Bab


PLW MAM Rate by Month and Community




Community ● Al Bab ● Qabasin ● Shawa

 Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District




PLW MAM Rate by Month and Community




Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District



District ● Jebel Saman


PLW MAM Rate by Month and Community




Community ● Daret Azza ● Kafr Karmin

Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District




PLW MAM Rate by Month and Community




Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District



District ● Harim


PLW MAM Rate by Month and Community



Community ● Atma ● Dana ● Harim ● Hezreh - Hezri ● Kafr Takharim ● Salqin


Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District



District ● Idleb


PLW MAM Rate by Month and Community



Community ● Hazano ● Idleb ● Kelly ● Ma'arrat Tamasrin


Nutrition Assessment Results : MAM PLW rate trends by district during one year

PLW MAM Rate by Month and District




District ● Jisr-Ash-Shugur

PLW MAM Rate by Month and Community




Community ● Bsheiriyeh - Bello ● Darkosh ● Janudiyeh ● Jisr-Ash-Shugur ● Kherbet Eljoz

PLW MAM Rate by Month and Year



PLW MAM by Month and Gov




Nutrition Assessment Results - (Children Under 6 Month)


Children under 6 month Screened

8096


Sex Distribution




CBF-Breastfed



EBF -Child Exclusive Breast Feed




% Why NotBreastfed




13759


Sex Distribution




Screened by IdpStatus




Breastfed



Others (Milk Goats , Etc ..)



Child have mother or father



Minimum diet diversity

Percentage of children aged 6-23 months who were fed at least 5 (5 out of 8) food groups the previous day



Minimum meal frequency

Percentage of children aged 6-23 months who were fed the minimum number of meals/snacks during the previous day



Minimum acceptable diet





Percentage of children aged 6-23 months who were fed the minimum number of meals/snacks as well as food from the minimum number of food groups¹



Nutrition Assessment Results - (Stunting and Under Weight)



Children Screened 6 month and over with weight or height measures

27999



Stunting (Age 6-59)(9281/28001): 33.15%(32.59% - 33.70% 95% C.I.)

UnderWeight (Age 6-59)(2419/28001): 8.64%(8.31% - 8.97% 95% C.I.)




Nutrition Assessment Results - (Stunting during program life)


Child_Sex Female Male

Age group


All



IDP Status IDP Resident



Gov Aleppo Ar-Raqqqa Dar'a Hama Homs Idleb Quneitra



Nutrition Assessment indicator results by sex and age group for MUAC based Only , MUAC and Weight for height , height for age , weight for age

Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by sex

Age	Female	Male	Total
06-11	MUAC only (Age 6-11)(227/2743): 8.28%(7.24% - 9.31% 95% C.I.)	MUAC only (Age 6-11)(160/2886): 5.54%(4.71% - 6.38% 95% C.I.)	MUAC only (Age 6-11)(387/5629): 6.88%(6.21% - 7.54% 95% C.I.)
12-23	MUAC only (Age 12-23) (161/4013): 4.01%(3.40% - 4.62% 95% C.I.)	MUAC only (Age 12-23)(95/4118): 2.31%(1.85% - 2.77% 95% C.I.)	MUAC only (Age 12-23)(256/8131): 3.15%(2.77% - 3.53% 95% C.I.)
24-35	MUAC only (Age 24-35)(17/2918): 0.58%(0.31% - 0.86% 95% C.I.)	MUAC only (Age 24-35)(10/3074): 0.33%(0.12% - 0.53% 95% C.I.)	MUAC only (Age 24-35)(27/5992): 0.45%(0.28% - 0.62% 95% C.I.)
36-47	MUAC only (Age 36-47)(5/2537): 0.20%(0.02% - 0.37% 95% C.I.)	MUAC only (Age 36-47)(1/2656): 0.04%(-0.04% - 0.11% 95% C.I.)	MUAC only (Age 36-47)(6/5193): 0.12%(0.02% - 0.21% 95% C.I.)
48-59	MUAC only (Age 48-59)(2/2818): 0.07%(-0.03% - 0.17% 95% C.I.)	MUAC only (Age 48-59)(1/3201): 0.03%(-0.03% - 0.09% 95% C.I.)	MUAC only (Age 48-59)(3/6019): 0.05%(-0.01% - 0.11% 95% C.I.)
Total	MUAC only (Age 6-59) (412/15029): 2.74%(2.48% - 3.00% 95% C.I.)	MUAC only (Age 6-59) (267/15935): 1.68%(1.48% - 1.87% 95% C.I.)	MUAC only (Age 6-59)(679/30964): 2.19%(2.03% - 2.36% 95% C.I.)

Prevalence of stunting based on height-for-age z-scores and by sex

Age	Female	Male	Total
06-11	Stunting (Age 6-11)(484/2506): 19.31%(17.77% - 20.86% 95% C.I.)	Stunting (Age 6-11)(863/2624): 32.89%(31.09% - 34.69% 95% C.I.)	Stunting (Age 6-11)(1347/5130): 26.26%(25.05% - 27.46% 95% C.I.)
12-23	Stunting (Age 12-23) (1100/3636): 30.25%(28.76% - 31.75% 95% C.I.)	Stunting (Age 12-23)(1614/3731): 43.26%(41.67% - 44.85% 95% C.I.)	Stunting (Age 12-23)(2714/7367): 36.84%(35.74% - 37.94% 95% C.I.)
24-35	Stunting (Age 24-35)(953/2636): 36.15%(34.32% - 37.99% 95% C.I.)	Stunting (Age 24-35)(1180/2771): 42.58%(40.74% - 44.42% 95% C.I.)	Stunting (Age 24-35)(2133/5407): 39.45%(38.15% - 40.75% 95% C.I.)
36-47	Stunting (Age 36-47)(797/2272): 35.08%(33.12% - 37.04% 95% C.I.)	Stunting (Age 36-47)(877/2410): 36.39%(34.47% - 38.31% 95% C.I.)	Stunting (Age 36-47)(1674/4682): 35.75%(34.38% - 37.13% 95% C.I.)
48-59	Stunting (Age 48-59)(634/2538):	Stunting (Age 48-59)(779/2877):	Stunting (Age 48-59)(1413/5415): 26.09%
Total	Stunting (Age 6-59) (3968/13588): 29.20%(28.44% - 29.97% 95% C.I.)	Stunting (Age 6-59)(5313/14413): 36.86%(36.07% - 37.65% 95% C.I.)	Stunting (Age 6-59)(9281/28001): 33.15%(32.59% - 33.70% 95% C.I.)

Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's (and/or oedema) and by sex*

Age	Female	Male	Total
06-11	MUAC or WHZ (Age 6-11) (230/2743): 8.38%(7.35% - 9.42% 95% C.I.)	MUAC or WHZ (Age 6-11) (168/2886): 5.82%(4.97% - 6.68% 95% C.I.)	MUAC or WHZ (Age 6-11)(398/5629): 7.07%(6.40% - 7.74% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (172/4013): 4.29%(3.66% - 4.91% 95% C.I.)	MUAC or WHZ (Age 12-23) (108/4118): 2.62%(2.13% - 3.11% 95% C.I.)	MUAC or WHZ (Age 12-23)(280/8131): 3.44%(3.05% - 3.84% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (21/2918): 0.72%(0.41% - 1.03% 95% C.I.)	MUAC or WHZ (Age 24-35) (19/3074): 0.62%(0.34% - 0.90% 95% C.I.)	MUAC or WHZ (Age 24-35)(40/5992): 0.67%(0.46% - 0.87% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (14/2537): 0.55%(0.26% - 0.84% 95% C.I.)	MUAC or WHZ (Age 36-47) (9/2656): 0.34%(0.12% - 0.56% 95% C.I.)	MUAC or WHZ (Age 36-47)(23/5193): 0.44%(0.26% - 0.62% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (12/2818): 0.43%(0.19% - 0.67% 95% C.I.)	MUAC or WHZ (Age 48-59) (11/3201): 0.34%(0.14% - 0.55% 95% C.I.)	MUAC or WHZ (Age 48-59)(23/6019): 0.38%(0.23% - 0.54% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (449/15029): 2.99%(2.72% - 3.26% 95% C.I.)	MUAC or WHZ (Age 6-59) (315/15935): 1.98%(1.76% - 2.19% 95% C.I.)	MUAC or WHZ (Age 6-59)(764/30964): 2.47%(2.29% - 2.64% 95% C.I.)

Prevalence of underweight based on weight-for-age z-scores by sex

Age	Female	Male	Total
06-11	UnderWeight (Age 6-11) (221/2506): 8.82%(7.71% - 9.93% 95% C.I.)	UnderWeight (Age 6-11) (349/2624): 13.30%(12.00% - 14.60% 95% C.I.)	UnderWeight (Age 6-11)(570/5130): 11.11%(10.25% - 11.97% 95% C.I.)
12-23	UnderWeight (Age 12-23) (292/3636): 8.03%(7.15% - 8.91% 95% C.I.)	UnderWeight (Age 12-23) (389/3731): 10.43%(9.45% - 11.41% 95% C.I.)	UnderWeight (Age 12-23)(681/7367): 9.24%(8.58% - 9.91% 95% C.I.)
24-35	UnderWeight (Age 24-35) (208/2636): 7.89%(6.86% - 8.92% 95% C.I.)	UnderWeight (Age 24-35) (245/2771): 8.84%(7.78% - 9.90% 95% C.I.)	UnderWeight (Age 24-35)(453/5407): 8.38%(7.64% - 9.12% 95% C.I.)
36-47	UnderWeight (Age 36-47) (157/2272): 6.91%(5.87% - 7.95% 95% C.I.)	UnderWeight (Age 36-47) (155/2410): 6.43%(5.45% - 7.41% 95% C.I.)	UnderWeight (Age 36-47)(312/4682): 6.66%(5.95% - 7.38% 95% C.I.)
48-59	UnderWeight (Age 48-59) (195/2538): 7.68%(6.65% - 8.72% 95% C.I.)	UnderWeight (Age 48-59) (208/2877): 7.23%(6.28% - 8.18% 95% C.I.)	UnderWeight (Age 48-59)(403/5415): 7.44%(6.74% - 8.14% 95% C.I.)
Total	UnderWeight (Age 6-59) (1073/13588): 7.90%(7.44% - 8.35% 95% C.I.)	UnderWeight (Age 6-59) (1346/14413): 9.34%(8.86% - 9.81% 95% C.I.)	UnderWeight (Age 6-59)(2419/28001): 8.64%(8.31% - 8.97% 95% C.I.)

Nutrition Assessment indicator results by gov and age group for MUAC based Only , MUAC and Weight for height , height for age , weight for age

Prevalence of acute malnutrition based on MUAC cut off's (and/or oedema) and by gov aleppo , Idleb				Prevalence of stunting based on height-for-age z-scores and by gov Aleppo, Idleb			
Age	Aleppo	Idleb	Total	Age	Aleppo	Idleb	Total
12-23	MUAC only (Age 12-23)(164/4790): 3.42%(2.91% - 3.94% 95% C.I.)	MUAC only (Age 12-23)(92/3341): 2.75%(2.20% - 3.31% 95% C.I.)	MUAC only (Age 12-23)(256/8131): 3.15%(2.77% - 3.53% 95% C.I.)	06-11	Stunting (Age 6-11)(877/2996): 29.27%(27.64% - 30.90% 95% C.I.)	Stunting (Age 6-11)(470/2134): 22.02%(20.27% - 23.78% 95% C.I.)	Stunting (Age 6-11)(1347/5130): 26.26%(25.05% - 27.46% 95% C.I.)
24-35	MUAC only (Age 24-35)(11/3516): 0.31%(0.13% - 0.50% 95% C.I.)	MUAC only (Age 24-35)(16/2476): 0.65%(0.33% - 0.96% 95% C.I.)	MUAC only (Age 24-35)(27/5992): 0.45%(0.28% - 0.62% 95% C.I.)	12-23	Stunting (Age 12-23)(1864/4359): 42.76%(41.29% - 44.23% 95% C.I.)	Stunting (Age 12-23)(850/3008): 28.26%(26.65% - 29.87% 95% C.I.)	Stunting (Age 12-23)(2714/7367): 36.84%(35.74% - 37.94% 95% C.I.)
36-47	MUAC only (Age 36-47)(6/3096): 0.19%(0.04% - 0.35% 95% C.I.)	MUAC only (Age 36-47)(0/2097): 0.00%(0.00% - 0.00% 95% C.I.)	MUAC only (Age 36-47)(6/5193): 0.12%(0.02% - 0.21% 95% C.I.)	24-35	Stunting (Age 24-35)(1377/3173): 43.40%(41.67% - 45.12% 95% C.I.)	Stunting (Age 24-35)(756/2234): 33.84%(31.88% - 35.80% 95% C.I.)	Stunting (Age 24-35)(2133/5407): 39.45%(38.15% - 40.75% 95% C.I.)
48-59	MUAC only (Age 48-59)(1/3606): 0.03%(-0.03% - 0.08% 95% C.I.)	MUAC only (Age 48-59)(2/2413): 0.08%(-0.03% - 0.20% 95% C.I.)	MUAC only (Age 48-59)(3/6019): 0.05%(-0.01% - 0.11% 95% C.I.)	36-47	Stunting (Age 36-47)(1133/2781): 40.74%(38.91% - 42.57% 95% C.I.)	Stunting (Age 36-47)(541/1901): 28.46%(26.43% - 30.49% 95% C.I.)	Stunting (Age 36-47)(1674/4682): 35.75%(34.38% - 37.13% 95% C.I.)
06-11	MUAC only (Age 6-11)(222/3262): 6.81%(5.94% - 7.67% 95% C.I.)	MUAC only (Age 6-11)(165/2367): 6.97%(5.94% - 8.00% 95% C.I.)	MUAC only (Age 6-11)(387/5629): 6.88%(6.21% - 7.54% 95% C.I.)	48-59	Stunting (Age 48-59)(986/3242):	Stunting (Age 48-59)(427/2173):	Stunting (Age 48-59)(1413/5415):
Total	MUAC only (Age 6-59) (404/18270): 2.21%(2.00% - 2.42% 95% C.I.)	MUAC only (Age 6-59) (275/12694): 2.17%(1.91% - 2.42% 95% C.I.)	MUAC only (Age 6-59)(679/30964): 2.19%(2.03% - 2.36% 95% C.I.)	Total	Stunting (Age 6-59) (6237/16551): 37.68%(36.95% - 38.42% 95% C.I.)	Stunting (Age 6-59)(3044/11450): 26.59%(25.78% - 27.39% 95% C.I.)	Stunting (Age 6-59)(9281/28001): 33.15%(32.59% - 33.70% 95% C.I.)
Prevalence of combined GAM and SAM based on WHZ and MUAC cut off's (and/or oedema) and by gov Aleppo, Idleb				Prevalence of underweight based on weight-for-age z-scores by gov Aleppo, Idleb			
Age	Aleppo	Idleb	Total	Age	Aleppo	Idleb	Total
06-11	MUAC or WHZ (Age 6-11) (226/3262): 6.93%(6.06% - 7.80% 95% C.I.)	MUAC or WHZ (Age 6-11) (172/2367): 7.27%(6.22% - 8.31% 95% C.I.)	MUAC or WHZ (Age 6-11)(398/5629): 7.07%(6.40% - 7.74% 95% C.I.)	06-11	UnderWeight (Age 6-11) (358/2996): 11.95%(10.79% - 13.11% 95% C.I.)	UnderWeight (Age 6-11)(212/2134): 9.93%(8.67% - 11.20% 95% C.I.)	UnderWeight (Age 6-11)(570/5130): 11.11%(10.25% - 11.97% 95% C.I.)
12-23	MUAC or WHZ (Age 12-23) (175/4790): 3.65%(3.12% - 4.18% 95% C.I.)	MUAC or WHZ (Age 12-23) (105/3341): 3.14%(2.55% - 3.73% 95% C.I.)	MUAC or WHZ (Age 12-23)(280/8131): 3.44%(3.05% - 3.84% 95% C.I.)	12-23	UnderWeight (Age 12-23) (498/4359): 11.42%(10.48% - 12.37% 95% C.I.)	UnderWeight (Age 12-23)(183/3008): 6.08%(5.23% - 6.94% 95% C.I.)	UnderWeight (Age 12-23)(681/7367): 9.24%(8.58% - 9.91% 95% C.I.)
24-35	MUAC or WHZ (Age 24-35) (18/3516): 0.51%(0.28% - 0.75% 95% C.I.)	MUAC or WHZ (Age 24-35) (22/2476): 0.89%(0.52% - 1.26% 95% C.I.)	MUAC or WHZ (Age 24-35)(40/5992): 0.67%(0.46% - 0.87% 95% C.I.)	24-35	UnderWeight (Age 24-35) (318/3173): 10.02%(8.98% - 11.07% 95% C.I.)	UnderWeight (Age 24-35)(135/2234): 6.04%(5.05% - 7.03% 95% C.I.)	UnderWeight (Age 24-35)(453/5407): 8.38%(7.64% - 9.12% 95% C.I.)
36-47	MUAC or WHZ (Age 36-47) (17/3096): 0.55%(0.29% - 0.81% 95% C.I.)	MUAC or WHZ (Age 36-47)(6/2097): 0.29%(0.06% - 0.51% 95% C.I.)	MUAC or WHZ (Age 36-47)(23/5193): 0.44%(0.26% - 0.62% 95% C.I.)	36-47	UnderWeight (Age 36-47) (205/2781): 7.37%(6.40% - 8.34% 95% C.I.)	UnderWeight (Age 36-47)(107/1901): 5.63%(4.59% - 6.66% 95% C.I.)	UnderWeight (Age 36-47)(312/4682): 6.66%(5.95% - 7.38% 95% C.I.)
48-59	MUAC or WHZ (Age 48-59) (10/3606): 0.28%(0.11% - 0.45% 95% C.I.)	MUAC or WHZ (Age 48-59) (13/2413): 0.54%(0.25% - 0.83% 95% C.I.)	MUAC or WHZ (Age 48-59)(23/6019): 0.38%(0.23% - 0.54% 95% C.I.)	48-59	UnderWeight (Age 48-59) (237/3242): 7.31%(6.41% - 8.21% 95% C.I.)	UnderWeight (Age 48-59)(166/2173): 7.64%(6.52% - 8.76% 95% C.I.)	UnderWeight (Age 48-59)(403/5415): 7.44%(6.74% - 8.14% 95% C.I.)
Total	MUAC or WHZ (Age 6-59) (446/18270): 2.44%(2.22% - 2.66% 95% C.I.)	MUAC or WHZ (Age 6-59) (318/12694): 2.51%(2.23% - 2.78% 95% C.I.)	MUAC or WHZ (Age 6-59)(764/30964): 2.47%(2.29% - 2.64% 95% C.I.)	Total	UnderWeight (Age 6-59) (1616/16551): 9.76%(9.31% - 10.22% 95% C.I.)	UnderWeight (Age 6-59) (803/11450): 7.01%(6.55% - 7.48% 95% C.I.)	UnderWeight (Age 6-59)(2419/28001): 8.64%(8.31% - 8.97% 95% C.I.)

Nutrition Assessment Results - (Children 6-23 Top 10 GAM by community / month) during a year

community	202010	202011	202012	202101	202102	202103	202104	202105	202106	202107	202108	202109
Akhtrein											8.63%	
Al Bab	19.15%	12.20%	8.73%		7.03%	7.58%	8.02%	8.10%		10.16%	9.23%	8.64%
Azaz									9.15%	8.25%		
Bazagha	22.35%		11.03%		13.04%	11.21%	16.67%					
Dana	17.33%								8.96%	12.50%		
Darkosh			10.00%	8.51%	8.76%			9.33%	17.12%	9.84%	14.54%	9.41%
Ghandorah	19.03%	11.03%	9.17%	9.54%	8.80%		7.19%			10.67%	9.80%	8.17%
Hezreh - Hezri											8.12%	
Jalma			8.57%	10.07%	7.53%	7.91%	6.87%	9.39%	8.84%		10.50%	
Jarablus	14.62%	17.54%	20.96%	16.13%	26.27%	14.29%	10.24%	14.48%	12.45%	9.42%	9.83%	
Kafr Karmin		7.42%										
Kafr Takharim		9.03%				12.15%	5.37%	9.67%	13.84%	10.14%	11.47%	11.78%
Kafra				9.72%								
Kelly					6.90%							
Kherbet Eljoz					7.69%	8.56%	5.34%					
Korin							5.99%					8.80%
Maarin								7.82%				7.78%
Ma'arrat Tamasrin		9.95%	8.81%	8.53%		7.63%		9.42%				7.42%
Mhambal								7.21%	9.91%			
Qabasin	14.29%		9.09%	10.71%		8.43%	9.52%	10.19%	9.92%	17.14%	13.37%	7.72%
Rael	16.67%			13.04%	9.68%	5.93%						
Raju									12.75%	8.70%		10.19%
Salqin	14.59%	19.86%										
Shawa	30.51%	8.57%	10.61%	7.41%								
Shmarekh		10.40%										
Zoghra	32.23%	23.04%	9.13%	12.50%	14.71%	12.84%	13.43%	10.94%	8.57%	12.61%	8.64%	7.52%

Community /gov covered by month

Month	Aleppo	Idleb	Total
202010	27	12	39
202011	27	12	39
202012	27	12	39
202101	27	12	39
202102	28	15	43
202103	28	18	46
202104	28	17	45
202105	27	17	44
202106	27	17	44
202107	26	17	43
202108	27	17	44
202109	25	17	42
Total	29	19	48


Nutrition Assessment Results - (PLW TOP 10 MAM by community / month) during a yea

community	202010	202011	202012	202101	202102	202103	202104	202105	202106	202107	202108	202109
Al Bab	17.58%	10.41%	9.80%	10.70%	9.07%	8.85%	9.22%	11.20%	3.81%	9.04%	10.13%	6.96%
Ariha									3.81%		3.27%	
Bsheiriyeh - Bello				3.51%		7.69%						
Dana	17.36%	14.16%	8.85%	4.53%	6.80%		4.56%	5.56%	6.99%	9.59%	4.53%	7.35%
Darkosh									3.74%			
Harim	15.67%	13.41%	13.64%	7.51%	3.90%	6.52%			5.76%	4.63%	3.20%	
Hazano	18.41%	12.35%	11.84%	5.78%								
Hezreh - Hezri											3.32%	3.95%
Idleb										3.50%		
Jisr-Ash-Shugur							5.33%					
Kafr Karmin										4.86%	4.01%	3.44%
Kafr Takharim	8.02%	6.46%	6.45%	6.68%	7.35%	13.97%	11.32%	12.80%	11.61%	8.46%	9.27%	8.17%
Kelly					4.89%							
Kherbet Eljoz					16.67%	5.85%	5.06%	7.33%	6.37%			5.64%
Korin						6.05%	4.78%	7.02%		3.84%		4.63%
Maarin												4.45%
Ma'arrat Tamasrin	8.16%	4.55%	4.41%		6.27%	5.76%						
Mhambal								4.09%		3.33%	5.18%	
Qabasin	8.33%		5.85%				4.95%	5.56%	4.41%	3.46%		
Rael	7.69%	5.93%		9.68%		6.25%	5.32%	13.44%				
Raju				5.56%	5.10%	5.43%	6.55%	7.96%	6.60%	4.67%	4.46%	5.43%
Salqin	16.26%	21.58%	9.13%	3.21%	6.93%							
Shawa	14.42%	15.32%	14.17%	13.21%	6.67%	11.81%	5.65%	6.40%	6.54%			4.15%
Shmarekh		4.62%	5.79%									
Suran											3.58%	


Community /gov covered by month

Month	Aleppo	Idleb	Total
202010	21	11	32
202011	21	10	31
202012	21	10	31
202101	21	10	31
202102	22	13	35
202103	22	16	38
202104	22	16	38
202105	22	15	37
202106	22	15	37
202107	21	15	36
202108	21	15	36
202109	20	15	35
Total	22	18	40


programme Life




Children screened by year




GAM rate by district during programme life



PLW screened by year



Reporting H.F , Timeliness and completeness by month



Children GAM rate by governorate during pro...

