

Highlights

■ Reporting:

- ✓ This week, 89.4% of the reporting sites across the five Governorates in north of Syria (294 of 329) sites, provided complete data and submitted zero weekly reports for EWARN Syndromes. 55.0% of these sites submitted their weekly reports on time.
- ✓ In Aleppo and Idleb, completeness reached 91% in Aleppo and 89% in Idleb. The timeliness in Aleppo was 70% and Idleb at 61%.
- ✓ During this reporting period, a total of 148.904 consultations were conducted, with children under the age of 5 accounting for 31.15 of the totals.

■ Disease Surveillance:

- ✓ Influenza-Like Illness (ILI) recorded the highest proportional morbidity at 10.02%, then Other Acute Diarrhea 9.33%.
- ✓ The reported suspected cholera cases in the zero weekly reports from sentinel sites in North Syria were 46, compared to 57 cases in the previous week. The reported acute diarrhea for other causes (OAD) this week is 13.897, a 2.65% increase compared to the previous week.
- ✓ The AJS reported cases are 269 (3.34% increase compared to the previous week).
- ✓ There were 14.922 reported Influenza-Like Illness cases (ILI) (an 8.96% decrease compared to the previous week). Additionally, 203 cases of Severe Acute Respiratory Infection (SARI) were reported this week.
- ✓ This week, no case of Acute Flaccid Paralysis (AFP) has been reported.

■ Laboratory Testing

- The diagnostic tests conducted this week were four samples for measles (one of them was positive), 10 samples for cholera (all of them were negative), six samples for influenza (all of them were negative).

■ الإبلاغ:

- ✓ خلال هذا الأسبوع، شارك 89.4 % من المراكز المبلّغة (294 من 329) تقاريرهم الأسبوعية من المحافظات الخمسة، أرسل 55.0% من المراكز أرسلت تقاريرها ضمن الوقت المحدد.
- ✓ بلغت اكنمالية التقارير المرسلّة من المراكز المبلّغة من شمال غرب سوريا % 91 في حلب % 89 في ادلب. وقد وصل (70%، 61%) من التقارير ضمن الوقت المطلوب في كل من حلب وادلب على التوالي .
- ✓ خلال فترة الإبلاغ هذه، تم إجراء ما مجموعه 148.904 استشارة، وبلغت نسبة الأطفال دون سن الخامسة 31.15 % من إجمالي الاستشارات.

■ ترصد الأمر اض:

- ✓ خلال هذا الأسبوع، كانت الإمراضية النسبية لحالات متلازمة شبيهة بالإنفلونزا (ILI) هي الأعلى 10.02%، تلاها الاسهال الحاد لأسباب أخرى 9.33 %
- ✓ تم الإبلاغ عن 46 حالة مشتبه بها بالكوليرا في التقارير الأسبوعية الصفرية من المراكز الخفية في شمال سوريا. مقارنة ب 57 حالات في الأسبوع الماضي. وقد بلغ عدد حالات الاسهال المائي الحاد لأسباب أخرى 13.897، تزايد بنسبة 2.65% مقارنة بالأسبوع السابق .
- ✓ بلغ عدد حالات المتلازمة اليرقانية 269 حالة (تزايد بنسبة 3.34% مقارنة بالأسبوع السابق)
- ✓ تم تسجيل 14922 حالة لإصابة بالأمراض الشبيهة بالأنفلونزا هذا الأسبوع، تناقص بنسبة 96.8% مقارنة بالأسبوع السابق. بلغ عدد حالات التهاب الجهاز التنفسي الحاد الوخيم المبلغ عنها لهذا الأسبوع (203) حالة .
- ✓ لم يتم الإبلاغ عن حالات شلل رخو حاد خلال هذا الأسبوع.

■ الفحوصات المخبرية :

- ✓ تم إجراء أربعة تحاليل لتحري الحصبة (تحليل واحد فقط كان ايجابيا)، عشر تحاليل لتحري الكوليرا (جميعها سلبية)، ستة تحاليل لتحري الانفلونزا (جميعها سلبية).

329

of Sentinel Sites

59

of Subdistrict

20

of District


5

of Governorate


148,904 *

Consultations


Coverage



Consultation distribution by governorates



Consultations by age



* All consultations include communicable and non-communicable diseases


55%

Overall Timeliness

89%

Overall Completeness


Performance Indicators




Governorate	Number of Sentinal Sites	Number of reports
Aleppo	92	84
Al-Hasakeh	51	50
Ar-Raqqa	60	43
Deir-ez-Zor	43	43
Idleb	83	74
Total	329	294

Proportional of Surveyed Syndromes

Under 5 years



Above 5 years




Water-Borne Diseases


- The number of reported STF cases during this week was 269.
- The number of reported AJS cases during the same period was 269.
- The EWARN field team reported 102 new ABD cases.
- The waterborne diseases risk scale is being generated and followed on the community level and monthly in all EWARN coverage areas.
- EWARN informed partners & WASH team about the districts with high WBD levels.

- بلغ عدد حالات اشتباه الحمى التيفية 269 هذا الاسبوع
- بلغ عدد حالات المتلازمة اليرقانبة الحادة 269 هذا الأسبوع
- تم تسجيل 102 حالة جديدة من الإسهال الدموي الحاد ABD .
- يتم متابعة مؤشر خطورة الأمراض المنقولة بالمياه بشكل شهري وعلى مستوى التجمع السكاني في جميع مناطق تغطية الشبكة .
- تم إعلام الشركاء وفريق المياه والاصحاح عن المناطق ذات المستوى العالي من الامراض المنقولة بالمياه.

Number of Acute Jaundice Syndrome Cases



Number of Acute Watery Diarrhea Cases



Proportional Morbidities


Governorate	ABD	AWD	OAD	STF	AJS	Leish
Aleppo	0.02	0.02	8.10	0.04	0.06	0.06
Al-Hasakeh	0.91	0.00	40.41	0.29	0.93	0.08
Ar-Raqqa	0.01	0.00	6.56	0.45	0.32	0.27
Deir-ez-Zor	0.20	0.06	22.04	1.31	0.90	0.08
Idleb	0.03	0.04	6.27	0.03	0.06	0.33
Total	0.07	0.03	9.33	0.18	0.18	0.21

Vaccine Preventable Diseases


- In epidemiological week 28/2025, 17 suspected measles cases were reported from the sentinel sites. The distribution of the suspected cases was in the following districts: Azaz 9, Albab 2, Jebel Saman 2, Idleb 3, Ariha 1.
- The Field staff have investigated 1 case in the Idleb district.
- The total number of suspected meningitis cases is 28 cases. The distribution at the governorate level is: Aleppo 9, Idleb 10, Ar-Raqqa 4, Deir-ez-Zor 1, Al-Hasakeh 4
- The number of suspected mumps cases in the EWARN coverage area has reached 13. No complication was reported.
- The number of suspected pertussis cases in the EWARN coverage area is 26 suspected cases in northern Syria.
- There is no notification of neonatal tetanus case.
- There is no notification of diphtheria case.

- في الأسبوع 28/2025، تم الإبلاغ عن 17 حالة حصة مشتبّهة من المراكز المبلّغة توزعت على الشكل التالي حسب المناطق: اعزاز 9، الباب 2، جبل سمعان 2، ادلب 3، اريحا 1.
- تم استقصاء حالة حصة في منطقة ادلب
- بلغ عدد حالات اشتباه التهاب السحايا 28، توزعت على الشكل التالي: حلب 9، إدلب 10، الرقة 4، دير الزور 1، الحسكة 4.
- لقد بلغ عدد حالات النكاف المشتبّهة 13 في كل مناطق تغطية الشبكة، لم يتم تسجيل اختلاطات للنكاف.
- بلغ عدد حالات السعال الديكي المشتبّهة 26 في كل مناطق تغطية الشبكة في الشمال السوري.
- لا يوجد إبلاغ عن حالة كزاز وليد ي.
- لا يوجد إبلاغ عن حالة دفتريا.

Number of Influenza Like Illness Cases



Number of Suspected Measles Cases



Proportional Morbidities

Governorate	ILI	SARI	Mea
Aleppo	11.19	0.03	0.03
Al-Hasakeh	25.98	1.39	0.00
Ar-Raqqa	4.53	0.13	0.00
Deir-ez-Zor	5.16	0.30	0.00
Idleb	9.95	0.09	0.01
Total	10.02	0.14	0.01

Case Distribution Disaggregated by Governorate and Age during discussed week

Governorate	STF>5	STF<5	Leish>5	Leish<5	AWD>5	AWD<5	OAD>5	OAD<5	AJS>5	AJS<5	ABD>5	ABD<5	Men>5	Men<5	Mea>5	Mea<5	AFP>5	AFP<5	UCD>5	UCD<5	UCE>5	UCE<5	ILI>5	ILI<5	SARI>5	SARI<5
NES																										
Al-Hasakeh	10	5	2	2	0	0	857	1,236	15	33	20	27	1	3	0	0	0	0	0	0	0	0	600	746	17	55
Ar-Raqqa	62	1	28	10	0	0	389	531	14	31	0	1	4	0	0	0	0	0	0	0	0	0	308	328	5	13
Deir-ez-Zor	97	58	3	7	2	5	477	2,127	29	77	1	23	0	1	0	0	0	0	0	0	0	0	104	506	5	31
NWS																										
Aleppo	14	4	15	12	9	2	2,055	1,880	20	8	1	7	2	7	0	13	0	0	0	0	0	0	3,055	2,383	5	12
Idleb	14	4	182	48	22	6	2,356	1,989	23	19	14	8	5	5	2	2	0	0	1	1	0	0	3,854	3,038	13	47

Cumulative Cases

Directions	NES									NWS											
Governorate	Al-Hasakeh			Ar-Raqqa			Deir-ez-Zor			Aleppo			Idleb			NES			NWS		
Syndromes Categories	2023	2024	2025	2023	2024	2025	2023	2024	2025	2023	2024	2025	2023	2024	2025	2023	2024	2025	2023	2024	2025
WBD																					
Leish	4213	2796	586	2967	3735	2469	5770	3284	785	13574	8403	2162	14716	13237	7509	12950	9815	3840	28290	21640	9671
AWD	180964	11043	0	86043	5957	19	256145	15925	73	167550	15281	114	157107	12902	548	523152	32925	92	324657	28183	662
AJS	6297	5595	1925	5351	4895	1726	10182	10412	3723	10842	5531	454	8401	7658	1364	21830	20902	7374	19243	13189	1818
ABD	2828	2965	1083	830	590	176	4900	2066	436	2114	1430	168	351	1194	356	8558	5621	1695	2465	2624	524
STF	2486	1736	573	4101	4536	1302	15790	14776	4481	2240	2027	494	1503	1502	343	22377	21048	6356	3743	3529	837
VPD																					
Men	1140	684	178	1362	1386	212	1652	877	113	734	420	127	890	946	230	4154	2947	503	1624	1366	357
Mea	821	149	19	4500	223	16	5269	47	3	2272	413	88	4978	478	96	10590	419	38	7250	891	184
AFP	41	35	2	29	42	3	32	36	1	174	84	14	108	48	11	102	113	6	282	132	25
Other																					
UXD	2	16	0	14	2	1	5	1	0	5	21	0	8	22	16	21	19	1	13	43	16
UCE	6	10	0	4	3	11	2	1	0	13	32	2	0	9	1	12	14	11	13	41	3
Others	457356	290487	86402	1368470	1335694	556835	1150753	957505	374287	2931940	2825121	1107196	4864290	4453129	1787008	2976579	2583686	1017524	7796230	7278250	2894204
OAD																					
OAD	0	122092	46238	0	62098	23766	0	172821	63734	132	211776	73618	547	192171	93479	0	357011	133738	679	403947	167097
ARI																					
ILI	222451	172774	61819	175247	146964	68545	139515	156197	53708	638274	656943	222137	609045	885194	346989	537213	475935	184072	1247319	1542137	569126
SARI	5312	4745	2631	4808	4928	1647	3534	3316	1515	7285	5910	2017	6442	9038	6398	13654	12989	5793	13727	14948	8415

Alerts Summary

Year	Month	# Total Alerts	# Discarded Alerts (After Primary Screening)	# Pending	# Verified Alerts	# False Alerts	# True Alerts	True Alerts	# Outbreaks	Outbreaks
2025	Jan	24	24		7	3	4	SARI (1), Scabies (1), OAD (2)	0	
2025	Feb	25	20		5	0	5	SARI (5)	0	
2025	Mar	25	25		0	0	0		0	

Outbreaks during 2025

Year	Month	Epi-Week	Suspected Disease	Governorate	District	Sub-district	Community
------	-------	----------	-------------------	-------------	----------	--------------	-----------

Alerts Distribution during discussed week

ACRONYMS

Acronym	Meaning
ABD	Acute Bloody Diarrhea
AFP	Acute Flaccid Paralysis
AJS	Acute Jaundice Syndrome
AWD	Acute Watery Diarrhea
IgM	Immunoglobulin M
ILI	Influenza Like Illness
Leish	Leishmaniasis
Mea	Measles
Men	Meningitis
SARI	Severe Acute Respiratory Illness
STF	Suspected Typhoid Fever
UCD	Unusual Cluster of Death
UCE	Unusual Cluster of Event

Laboratory

Syndromes	Pattern analysis	No. of Samples	No. of positive samples	Place of positive sample
Acute Jaundice Syndrome	HEV IgM	0	0	--
Acute Jaundice Syndrome	HAV IgM	3	1	1: Harim
Acute Watery Diarrhea (AWD)	A stool culture to detect Vibrio Cholera	10	2	2: Al Bab
Acute Watery Diarrhea (AWD)	Rotavirus	0	0	All samples were negative.
COVID-19	qPCR	0	0	All samples were negative.
CSF Test for Meningitis by PCR technique	Herpes simplex virus 1	6	1	1: Idleb
CSF Test for Meningitis by PCR technique	Human Herpesvirus 6	6	2	2: Idleb
Influenza	Influenza (A)	6	0	All samples were negative.
Influenza	Influenza (B)	6	0	All samples were negative.
Influenza	RSV	6	0	All samples were negative.
Influenza	SARS-COVID-19	6	0	All samples were negative.
Measles	Measles IgM	4	1	1: Al Bab